


Swanson, Baird, NMENV

From: Holmes Mark D Civ 377 MSG/CEVR [Mark.Holmes@kirtland.af.mil]
Sent: Friday, April 13, 2007 4:24 PM
To: Swanson, Baird, NMENV
Subject: RE: Extension request

Baird

That was the course I was going to pursue, but wanted confirmation, thanks and have a good weekend.

Mark

From: Swanson, Baird, NMENV [mailto:baird.swanson@state.nm.us]
Sent: Friday, April 13, 2007 4:06 PM
To: Holmes Mark D Civ 377 MSG/CEVR
Subject: RE: Extension request

Mark,

Just use the 4106A for the time period. The modified plan we have requested is essentially a new one and as such can be extended for good cause shown..IE seeking resources to do work, plan activities, etc.. That's how we look at this situation. Hope this helps

Regards,

Baird Swanson

Baird.Swanson@state.nm.us
 Albuquerque, NM | 87109 |

NMED Ground Water Quality Bureau | NMED District 1 Office | 5500 San Antonio NE |

(505) 222-9520 | fax (505) 222-9510 |

From: Holmes Mark D Civ 377 MSG/CEVR [mailto:Mark.Holmes@kirtland.af.mil]
Sent: Wednesday, April 11, 2007 12:06 PM
To: Swanson, Baird, NMENV
Subject: Extension request

Baird

As I discussed with you, we are requesting an extension of time to submit the modification to the Stage 2 Abatement Plan for the Bulk Fuels Facility. What is the maximum time period we can request, and what is the basis? (120 days total is listed in 4106A, but that does not pertain specifically to modifications, and the 4111 does not specify a time period for a modification other than "...within the shortest reasonable time...")

No word yet on when the well development will be initiated.

Thanks

Mark

This inbound email has been scanned by the MessageLabs Email Security System.

2/8/2010

KAFB3613



Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended recipient (s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If you are not the intended recipient, please contact the sender and destroy all copies of this message. -- This email has been scanned by the Sybari - Antigen Email System.

This inbound email has been scanned by the MessageLabs Email Security System.
