



PUBLIC SERVICE COMPANY OF NEW MEXICO

ALVARADO SQUARE ALBUQUERQUE, NEW MEXICO 87158 _ _ _ _

RECEIVED

December 23, 1983

DEC 27 1983

GROUND WATER/HAZARDOUS WASTE
BUREAU

Mr. Anthony Drypolcher
Acting Bureau Chief
Groundwater and Hazardous
Waste Bureau
New Mexico Environmental
Improvement Division
Post Office Box 968
Santa Fe, NM 87504

Dear Mr. Drypolcher:

Subject: Technical Information Re-
lated to Waste Tank at
Public Service Company
of New Mexico--Person
Generating Station

Public Service Company of New Mexico has found a typographical error in an attachment to the subject correspondence submitted to you December 16, 1983. Copies of the revised attachment and original attachment are enclosed.

If you should have any questions, please contact me.

Very truly yours,

Richard Jordan, Manager
Regulatory Licensing & Compliance

HLP:ejg
Enclosures
xc: Mr. Jack Rex

(505) 345-8964
 7300 Jefferson St. NE
 Albuquerque, NM 87109

Analytical and Environmental Services

RECEIVED

DEC 27 1983

AnaCor
 Laboratories

GROUND WATER/HAZARDOUS WASTE
 BUREAU

To: PHM
 Alvarado Square
 Albuquerque, NM 87158

Date: 8 November 1983
 JV-1192 (Revised)
 Page 1 of 2

Attention: Jody Plum


Analyte: Tetrachloroethylene

Sample ID	Analytical Results	Sample ID	Analytical Results
1 - Surface	0.062 ppm	3 - 60'	0.032 ppm
1 - 10'	0.030 ppm	4 - Surface	0.017 ppm
1 - 20'	0.015 ppm	4 - 10'	371.5 ppm
1 - 30'	0.025 ppm	4 - 20'	230.2 ppm
1 - 40'	0.020 ppm	4 - 30'	236.8 ppm
1 - 50'	0.015 ppm	4 - 40'	253.3 ± 70.4 ppm
2 - Surface	0.0573 ± 0.0319 ppm	4 - 50'	305.7 ± 113.2 ppm
2 - 10'	0.006 ppm	4 - 60'	156.27 ppm
2 - 20'	0.003 ppm	4 - 70'	0.006 ± 0.002 ppm
2 - 30'	0.004 ppm	4 - 80'	0.010 ± 0.003 ppm
2 - 40'	0.007 ppm	4 - 90'	0.019 ± 0.016 ppm
2 - 50'	0.052 ppm	5 - 15'	2127.0 ppm
3 - Surface	0.009 ppm	5 - 20'	202.7 ppm
3 - 10'	0.005 ppm	5 - 30'	167.6 ppm
3 - 15'	700.0 ppm	5 - 40'	438.5 ± 211.0 ppm
3 - 20'	361.7 ppm	5 - 50'	295.2 ± 40.0 ppm
3 - 32.5'	613.0 ppm	5 - 60'	0.013 ppm
3 - 30'	405.6 ppm	5 - 70'	0.002 ppm
3 - 40'	451.8 ppm	5 - 80'	0.004 ± 0.006 ppm
3 - 50'	18.0 ppm	5 - 90'	0.011 ± 0.006 ppm

Normal Detection Limit: .001 mg/l

Reference: "Test Methods for Evaluating Solid Waste", 2nd Edition, USEPA,
 SW-846, 1982.

Table 4-1 PCE Analysis at Person Generating Station



Analytical and Environmental Services

AMECO
Laboratories

To: PNM
Alvarado Square
Albuquerque, NM 87158

Date: 8 November 1983
JV- 1192
Page 1 of 2

Attention: Jody Plum

Analyte: Tetrachloroethylene

Sample ID	Analytical Results	Sample ID	Analytical Results
1 - Surface	0.062 ppm	3 - 60'	0.032 ppm
1 - 10'	0.030 ppm	4 - Surface	0.017 ppm
1 - 20'	0.015 ppm	4 - 10'	371.5 ppm
1 - 30'	0.025 ppm	4 - 20'	230.2 ppm
1 - 40'	0.020 ppm	4 - 30'	236.8 ppm
1 - 50'	0.015 ppm	4 - 40'	263.3 ± 70.4 ppm
2 - Surface	57.3 ± 31.9 ppm	4 - 50'	305.7 ± 113.2 ppm
2 - 10'	0.006 ppm	4 - 60'	156.27 ppm
2 - 20'	0.003 ppm	4 - 70'	0.006 ± 0.002 ppm
2 - 30'	0.004 ppm	4 - 80'	0.010 ± 0.003 ppm
2 - 40'	0.007 ppm	4 - 90'	0.019 ± 0.016 ppm
2 - 50'	0.052 ppm	5 - 15'	2127.0 ppm
3 - Surface	0.009 ppm	5 - 20'	202.7 ppm
3 - 10'	0.005 ppm	5 - 30'	167.6 ppm
3 - 15'	700.0 ppm	5 - 40'	438.5 ± 211.0 ppm
3 - 20'	361.7 ppm	5 - 50'	295.2 ± 40.0 ppm
3 - 32.5	613.0 ppm	5 - 60'	0.013 ppm
3 - 30'	405.6 ppm	5 - 70'	0.002 ppm
3 - 40'	451.8 ppm	5 - 80'	0.004 ± 0.006 ppm
3 - 50'	18.0 ppm	5 - 90'	0.011 ± 0.006 ppm

Normal Detection Limit : .001 mg/l

Reference: "Test Methods for Evaluating Solid Waste", 2nd Edition, USEPA, SW-846, 1982.