



BRUCE KING
GOVERNOR

State of New Mexico
ENVIRONMENT DEPARTMENT
Harold Runnels Building
1190 St. Francis Drive, P.O. Box 26110
Santa Fe, New Mexico 87502
(505) 827-2850

JUDITH M. ESPINOSA
SECRETARY

RON CURRY
DEPUTY SECRETARY

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

January 24, 1994

Mr. Ron Johnson
Senior Environmental Scientist
Public Service Company of New Mexico
Alvarado Square
Albuquerque, New Mexico 87158

Dear Mr. Johnson:

On January 18, 1994, the Hazardous and Radioactive Materials Bureau (HRMB) received Public Service Company of New Mexico's (PNM) **"Corrective Measures Proposal for the Person Generating Station, January 1994"**, Engineering-Science, Inc., January 1994.

As per PNM's January 1992 Corrective Action Directive (CAD), Phase Two, pages A-8 to A-12, Item 1.A. and B.1. through 7., PNM was to submit a Corrective Measures Proposal (CMP) report selecting one or more corrective action technologies for implementation in the corrective action program. In agreement with HRMB the January 1994 proposal was to address only the shallow groundwater contamination at PNM's Person Generating Station, Albuquerque. The January 18, 1994 proposal meets the requirements of the CAD and has been approved.

Should you wish further information or require clarification on this letter please contact me at (505) 827-4313.

Sincerely,

Steve Alexander, Program Manager
Technical Compliance Program

cc: Barbara Hoditschek, HRMB
Ed Hörst, HRMB
Steve Alexander, HRMB