

Public Service Company
of New Mexico
2401 Aztec NE
MS Z160
Albuquerque, NM 87107

February 18, 2002



CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Mr. John Kieling
RCRA Permits Program Manager
New Mexico Environment Department
Hazardous Waste Bureau
2905 Rodeo Park Drive East, Building I
Santa Fe, NM 87505



**RE: Person Generating Station (NMT 360010342-1) - Class 1 Permit Modification Request for
Extraction Well Replacement – Supplemental Information**

Dear Mr. Kieling:

Per Mr. Robert Warder's request, Public Service Company of New Mexico (PNM) is submitting supplemental information relative to PNM's Class 1 permit modification request to the Person Generating Station RCRA Post-Closure Care Permit, Permit No. NMT360010342-1, submitted on December 20, 2001.

Depth to groundwater for PSMW-16 and PSMW-24 prior to plugging and abandonment is listed in the table below.

Well ID	Measurement Date	Depth to Water (ft)	Well Status
PSMW-16	4/19/01	201.90	Off
PSMW-24	4/25/01	249.34	Off

Also enclosed is a site map indicating the locations of the new extraction wells, EW-4 and EW-5, the extraction well closure report prepared by Metric Corporation, and a construction diagram for PSMW-16.

If you have any questions, please contact me at (505) 855-6392.

Sincerely,

John Hale, P.E.
Technical Project Manager

Enclosures

cc: Robert Warder, NMED/HWB, Permits Management Program
District 1, 4131 Montgomery NE, Albuquerque, NM 87109

RED PNMPS/02

Person Station Monitor and Extraction Wells



Legend

- ▲ New Extraction Wells
- Person Station Extraction Wells and Monitoring Wells
- Person Property Boundary

METRIC

Corporation ENVIRONMENTAL ENGINEERING AND SCIENCE

8429 WASHINGTON PLACE NE, SUITE A
ALBUQUERQUE, NEW MEXICO 87113
Phone: (505) 828-2801
Fax: (505) 828-2803

January 28, 2002

John Hale
Public Service Company of New Mexico
2401 Aztec Rd. NE, MS Z160
Albuquerque, NM 87107

Dear John:

Two extraction wells (PSMW-16 and PSMW-24) associated with the groundwater remediation system at Person Station were replaced in 2001 because the water table had dropped to within a few feet of the bottom of the wells. PSMW-16 was replaced with new extraction well EW-4, and PSMW-24 was replaced with EW-5.


On April 24, 2001, PSMW-16 was plugged from total depth to ground level with 5% bentonite cement weighing 13.0 to 13.5 lbs/gal. The old well casing was cut off about three feet below ground level.

On April 30, 2001, PSMW-24 was plugged from total depth to the floor of the well pit with 5% bentonite cement weighing 13.0 to 13.5 lbs/gal. The casing was cut off even with the floor of the well pit, which is about 8 feet below ground level.

If you have any questions concerning these matters, please contact us.


Sincerely,

METRIC Corporation



Gary L. Richardson, P.E.
Executive Vice President

GLR/rkh



CONSTRUCTION DIAGRAM

PSMW-16