

## PERMIT ATTACHMENT K SOLID WASTE MANAGEMENT UNITS AND AREAS OF CONCERN

Table K-1 provides the list of solid waste management units (SWMUs) and areas of concern (AOCs) at the Facility for which corrective action is required under the Consent Order; whereas, Table K-2 includes the SWMUs, AOCs, and hazardous waste management units for which corrective action is required under this Permit. Table K-3 provides the list of SWMUs, AOCs, and hazardous waste management units for which corrective action is complete with controls. Table K-4 includes the SWMUs, AOCs, and hazardous waste management units for which corrective action is complete without controls and that do not require monitoring. Attachment J, Tables J-1, J-2, and J-3 include lists of hazardous waste management units at the Facility and their status (*e.g.*, permitted, under post-closure care, closed) of each unit.

<b>TABLE K-1 Solid Waste Management Units and Areas of Concern Requiring Corrective Action Under the Consent Order</b>		
<b>SWMU/AOC #</b>	<b>Name or Description</b>	<b>Comments</b>
<i><b>OU-1289</b></i>	<i><b>Mixed Waste Landfill</b></i>	
<i><b>76</b></i>	<i><b>Mixed Waste Landfill (TA-III)</b></i>	
<i><b>OU 1295</b></i>	<i><b>Septic Tanks and Drainfields</b></i>	
149	Bldg. 9930 Septic System (Coyote Test Field)	
154	Bldg. 9960 Septic System and Seepage Pits (Coyote Test Field)	
<i><b>OU-1306</b></i>	<i><b>TAs-III &amp; V</b></i>	
83	Long Sled Track	
84	Gun Facilities	
240	Short Sled Track	
<i><b>OU-1332</b></i>	<i><b>Foothills Test Area</b></i>	
8	Open Dump (Coyote Canyon Blast Area)	
58	Coyote Canyon Blast Area	
<i><b>OU-1334</b></i>	<i><b>Central Coyote Test Area</b></i>	
68	Old Burn Site	
	<i><b>Miscellaneous Sites</b></i>	
	Tijeras Ground-Water (TAG) Investigation	
	TA-V Ground-Water Investigation	
	Burn Site Ground-Water Investigation	
502	Building 9938 Surface Discharge Site	

<b>TABLE K-2</b> <b>Solid Waste Management Units, Areas of Concern, and</b> <b>Hazardous Waste Management Units</b> <b>Requiring Corrective Action Under this Permit</b>		
<b>SWMU/AOC #</b>	<b>Name or Description</b>	<b>Comments</b>
Reserved	Reserved	Reserved
Reserved	Reserved	Reserved
Reserved	Reserved	Reserved
Reserved	Reserved	Reserved
Reserved	Reserved	Reserved
Reserved	Reserved	Reserved
Reserved	Reserved	Reserved
Reserved	Reserved	Reserved
Reserved	Reserved	Reserved
Reserved	Reserved	Reserved
Reserved	Reserved	Reserved
Reserved	Reserved	Reserved
Reserved	Reserved	Reserved

<b>TABLE K-3</b> <b>Solid Waste Management Units, Areas of Concern, and Hazardous Waste Management</b> <b>Units for which Corrective Action is Complete with Controls</b>		
<b>SWMU/AOC#</b>	<b>Name or Description</b>	<b>Date of CAC Approval</b>
<u><a href="#">OU-1289</a></u>	<u><a href="#">Mixed Waste Landfill</a></u>	
<u><a href="#">76</a></u>	<u><a href="#">Mixed Waste Landfill (TA-III)</a></u>	<u><a href="#">Pending</a></u>
<b>OU 1295</b>	<b>Septic Tanks and Drainfields</b>	
137	Bldg. 6540/6542 Septic System (TA-III)	02/08
<b>OU 1302</b>	<b>TA-I</b>	
96	Storm System Drain	06/06
98	Bldg. 863 (TCA, Photochemical Releases: Silver Catch Boxes)	11/05
187	Septic Tank Piping for POTW	06/06
190	Steam Plant Tank Farm	06/06
226	Old Acid Waste Line	06/06
<b>OU 1303</b>	<b>TA-II</b>	
1	Radioactive Waste Landfill	02/08
2	Classified Waste Landfill (TA-II)	06/06
3	Chemical Disposal Pit	02/08
135	Bldg. 906 Drain System (TA-II)	06/06
<b>OU 1306</b>	<b>TAs-3&amp;5</b>	
105	Mercury Spill (Bldg. 6536)	12/14
196	Bldg. 6597 Cistern (TA-V)	12/14
<b>OU 1307</b>	<b>Liquid Waste Disposal System</b>	
4	LWDS Surface Impoundments	12/14

<b>TABLE K-3</b>		
<b>Solid Waste Management Units, Areas of Concern, and Hazardous Waste Management Units for which Corrective Action is Complete with Controls</b>		
<b>SWMU/AOC#</b>	<b>Name or Description</b>	<b>Date of CAC Approval</b>
<i><b>OU 1309</b></i>	<i><b>Tijeras Arroyo</b></i>	
45	Liquid Discharge (behind TA-IV)	02/08
46	Old Acid Waste Line Outfall	12/14
229	Storm Drain System Outfall (for TA-II)	06/06
<i><b>OU 1332</b></i>	<i><b>Foothills Test Area</b></i>	
87	Bldg. 9990 Firing Site	06/06
<i><b>OU 1335</b></i>	<i><b>Southwest Test Area</b></i>	
91	Lead Firing Site (Thunder Range)	12/14
	<i><b>Miscellaneous Sites</b></i>	
1029	Bldg. 6584 North Septic System (TA-III)	06/06
1081	Bldg. 6650 Septic System (TA-III)	02/08
1090	Bldg. 6721 Septic System (TA-III)	12/14

<b>TABLE K-4</b>			
<b>Solid Waste Management Units, Areas of Concern, and Hazardous Waste Management Units for which Corrective Action is Complete without Controls</b>			
<b>SWMU/AOC#</b>	<b>Name or Description</b>	<b>Date of CAC Approval</b>	<b>Comments</b>
<b><i>OU 1295</i></b>	<b><i>Septic Tanks and Drainfields</i></b>		
49	Bldg. 9820 Drains (Lurance Canyon)	12/14	
101	Bldg. 9926/9926A Septic System and Seepage Pit (Coyote Test Field)	12/14	
116	Bldg. 9990 Septic System (Coyote Test Field)	12/14	
138	Bldg. 6630 Septic System (TA-III)	12/14	
139	Bldg. 9964 Septic System	12/95	
140	Bldg. 9965 Septic System and Drywell (Thunder Range)	12/14	
141	Bldg. 9967 Septic System	11/01	
142	Bldg. 9970 Septic System	09/00	
143	Bldg. 9972 Septic System	09/00	
144	Bldg. 9980 Septic System	09/00	
145	Bldgs. 9981/9982 Septic System	09/00	
146	Bldg. 9920 Drain System (Coyote Test Field)	02/08	
147	Bldg. 9925 Septic Systems (Coyote Test Field)	12/14	
148	Bldg. 9927 Septic System (Coyote Test Field)	02/08	
150	Bldgs. 9939/ 9939A Septic System and Drainfield (Coyote Test Field)	12/14	
151	Bldg. 9940 Septic System	11/01	
152	Bldg. 9950 Septic System (Coyote Test Field)	02/08	
153	Bldg. 9956 Septic Systems (Coyote Test Field)	02/08	
160	Bldg. 9832 Septic System	11/01	
161	Bldg. 6636 Septic System (TA-III)	12/14	
<b><i>OU 1300</i></b>			
211	Bldg. 840, Former UST 840-1 (TA-I)	09/00	
<b><i>OU 1302</i></b>	<b><i>TA-I</i></b>		
25	Burial Site (South of TA-I)	12/95	
30	PCB Spill (Reclamation Yard)	04/05	
32	Steam Plant Oil Spill	12/95	
33	Motor Pool Oil Spill	04/05	
41	Bldg. 838 Mercury Spill	12/95	
42	Acid Spill, Bldg. 879 Water Treatment Facility	09/00	
73	Hazardous Waste Repackaging and Storage (Bldg. 895)	12/95	
104	PCB Spill	12/95	
186	TCE Dumping south of Bldg. 859	09/00	
192	TA-I Waste Oil Tank	07/00	

<b>TABLE K-4</b>			
<b>Solid Waste Management Units, Areas of Concern, and Hazardous Waste Management Units for which Corrective Action is Complete without Controls</b>			
<b>SWMU/AOC#</b>	<b>Name or Description</b>	<b>Date of CAC Approval</b>	<b>Comments</b>
276	Former Bldg. 829X Silver Recovery Sump (TA-I)	02/08	
<b>OU 1303</b>	<b>TA-II</b>		
43	Radioactive Material Storage Yard (TA-2)	09/00	
44	Decontamination Site and Uranium Calibration Pits (UCPs)	07/00	
48	Bldg. 904 Septic System and HE Drain System (TA-II)	06/06	
113	Area II Firing Sites	11/01	
114	Explosive Burn Pit	04/05	
136	Bldg. 907 Septic System and HE Drain System (TA-II)	06/06	
159	Bldg. 935 Septic System and Drywell (TA-II)	06/06	
165	Bldg. 901 Septic System (TA-II)	06/06	
166	Bldg. 919 Septic System (TA-II)	06/06	
167	Bldg. 940 Septic System and Seepage Pit (TA-II)	06/06	
<b>OU 1306</b>	<b>TAs-3&amp;5</b>		
18	Concrete Pad	04/05	
26	Burial Site (Western Part of TA-3)	04/05	
31	Electrical Transformer Oil Spill	11/01	
34	Centrifuge Oil Spill	11/01	
35	Vibration Facility Oil Spill (TA-3)	04/05	
36	HERMES Oil Spill	11/01	
37	PROTO Oil Spill	11/01	
51	Bldg. 6924 Pad, Tank, and Pit	11/01	
78	Gas Cylinder Disposal Pit	02/08	
100	Bldg. 6620 Drain/Sump	11/01	
102	Radioactive Disposal Area	11/01	
107	Explosive Test Area (South-East TA-3)	04/05	Also site of CAMU
111	Bldg. 6715 Sump/Drain	11/01	
188	Bldg. 6597 Above Ground Containment Spill Tank	12/95	
241	Storage Yard	04/05	
275	Seepage Pits, TA-V	07/00	
<b>OU 1307</b>	<b>Liquid Waste Disposal System</b>		
5	LWDS Drainfield (TA-V)	12/14	
52	LWDS Holding Tank	12/14	
<b>OU 1309</b>	<b>Tijeras Arroyo</b>		
7	Gas Cylinder Disposal (Arroyo del Coyote)	09/00	Transferred to KAFB in 2000, listed on KAFB Permit

<b>TABLE K-4</b>			
<b>Solid Waste Management Units, Areas of Concern, and Hazardous Waste Management Units for which Corrective Action is Complete without Controls</b>			
<b>SWMU/AOC#</b>	<b>Name or Description</b>	<b>Date of CAC Approval</b>	<b>Comments</b>
16	Open Dumps (Arroyo del Coyote)	09/00	
23	Disposal Trenches (near Tijeras Arroyo)	07/00	
40	Oil Spill (6000 Igloo Area)	11/97	
50	Old Centrifuge Site (Tijeras Arroyo)	09/00	
77	Oil Surface Impoundment	07/00	
227	Bunker 904 Outfall	06/06	
228A	Centrifuge Dump Site	09/00	
228B	Centrifuge Dump Site	11/01	
230	Storm Drain System Outfall (for TA-4)	04/05	
231	Storm Drain System Outfall (for TA-4)	04/05	
232	Storm Drain System Outfall	04/05	
233	Storm Drain System Outfall	07/12	
234	Storm Drain System Outfall	07/12	
235	Storm Drain System Outfall	09/00	
<b>OU 1332</b>	<b><i>Foothills Test Area</i></b>		
15	Trash Pits (Frustration Site)	12/97	
19	TRUPAK Boneyard Storage Area (NW End of Old Aerial Cable)	07/00	
27	Animal Disposal Pit (Coyote Springs)	07/00	
28-1	Mine Shafts	12/97	
28-2	Mine Shafts	12/14	
28-3	Mine Shafts	12/97	
28-4	Mine Shafts	12/97	
28-5	Mine Shafts	12/97	
28-6	Mine Shafts	12/97	
28-7	Mine Shafts	12/97	
28-8	Mine Shafts	12/97	
28-9	Mine Shafts	12/97	
28-10	Mine Shafts	11/01	
66	Boxcar Site	04/05	
67	Frustration Site	11/01	
82	Old Aerial Cable Site	11/01	
277	New Firing Site East of Optical Range	11/01	
<b>OU 1333</b>	<b><i>Canyons Test Area</i></b>		
10	Burial Mounds (Bunker Area North of Pendulum Site)	07/00	
12A	Open Arroyo Channel	09/00	
12B	Buried Debris in Graded Area	07/00	
13	LCBS Oil Surface Impoundment (Lurance Canyon Burn Site)	07/00	
59	Pendulum Site	07/00	
60	Bunker Area	11/01	
63-A	Balloon Test Area: Plutonium Dispersal Study Program (PDSP) Site	09/00	
63-B	Balloon/Helicopter Site	07/00	
64	Gun Site (Madera Canyon)	09/00	

<b>TABLE K-4</b>			
<b>Solid Waste Management Units, Areas of Concern, and Hazardous Waste Management Units for which Corrective Action is Complete without Controls</b>			
<b>SWMU/AOC#</b>	<b>Name or Description</b>	<b>Date of CAC Approval</b>	<b>Comments</b>
65-A	Lurance Canyon Explosive Test Site: Small Debris Mound	09/00	
65-B	Lurance Canyon Explosive Test Site: Primary Detonation Area	09/00	
65-C	Lurance Canyon Explosive Test Site: Secondary Detonation Area	09/00	
65-D	Lurance Canyon Explosive Test Site: Near Field Dispersion Area	09/00	
65-E	Far Field Dispersion Area	07/00	
72	Operation Beaver Site	07/00	
81-A	Catcher Box/Sled Track	11/01	
81-B	Impact Pad	11/01	
81-C	New Aerial Cable Site: Former Burial Location	09/00	
81-D	Northern Cable Area	11/01	
81-E	Gun Impact Area	11/01	
81-F	Scrap Yard	11/01	
92	Pressure Vessel Test Site (Coyote Canyon Blast Area)	12/97	
93	Madera Canyon Rocket Launcher Pads A, B & C	07/00	
94-A	Aboveground Tanks, Lurance Canyon Burn Site	07/00	
94-B	Debris/Soil Mound Area	04/05	
94-C	Bomb Burner Area and Discharge Line	11/01	
94-D	Lurance Canyon Burn Site: Bomb Burner Discharge Pit	09/00	
94-E	Lurance Canyon Burn Site: Small Surface Impoundment	09/00	
94-F	LAARC Discharge Pit	04/05	
94-G	Scrap Yard, Lurance Canyon Burn Site	11/01	
94-H	Fuel Spill at Open Pool Test Area, Lurance Canyon Burn Site	04/05	
225	AEC Storage Facility/Kirtland AFB	12/05/96	Transferred to KAFB in 1996, listed on KAFB Permit
<b><i>OU 1334</i></b>	<b><i>Central Coyote Test Area</i></b>		
9	Burial/Open Dump (Schoolhouse Mesa)	04/05	
11	Explosive Burial Mounds	09/00	
20	School House Mesa Burn Site	12/95	
21	Metal Scrap (Coyote Springs)	09/00	
22	Storage/Burn (West of DEER)	07/00	
47	Unmanned Seismic Observatory	12/95	
57-A	Workman Site-Firing Site	09/00	
57-B	Workman Site-Target Area	09/00	
61-A	Blast Area	07/00	

<b>TABLE K-4</b>			
<b>Solid Waste Management Units, Areas of Concern, and Hazardous Waste Management Units for which Corrective Action is Complete without Controls</b>			
<b>SWMU/AOC#</b>	<b>Name or Description</b>	<b>Date of CAC Approval</b>	<b>Comments</b>
61-B	Cratering Area	12/05/96	Transferred to KAFB in 1996, listed on KAFB Permit
61-C	Schoolhouse Mesa Test Site -- Schoolhouse Bldg.	09/00	
62	Greystone Manor Site (Coyote Springs)	12/95	
69	Old Borrow Pit	12/95	
70	Explosives Test Pit (Water Towers)	09/00	
71	Moonlight Shot Area	07/00	
88-A	Firing Site: Ranch House	12/95	
88-B	Firing Site: Instrumentation Pole	09/00	
<b>OU 1335</b>	<b>Southwest Test Area</b>		
6	Gas Cylinder Disposal Pit (Bldg. 9966)	11/01	
6-A	Gas Cylinder Disposal Pit	11/01	
14	Burial Site (Bldg. 9920)	07/00	
17	Scrap Yards/Open Dump (Thunder Range)	07/00	
39	Oil Spill - Solar Facility	11/97	
38	Oil Spills (Bldg. 9920)	07/00	
53	Bldg. 9923 Storage Igloo	11/97	
54	Pickax Site (Thunder Range)	07/00	
55	Red Towers Site (Thunder Range)	09/00	
56	Old Thunderwells (Thunder Range)	07/00	
85	Burial Site (Bldg. 9920)	07/00	
86	Firing Site (Bldg. 9927)	11/01	
89	Shock Tube Site (Thunder Range)	07/00	
90	Beryllium Firing Site (Thunder Range)	09/00	
103	Scrap Yard (Bldg. 9939)	07/00	
108	Firing Site (Bldg. 9940)	07/00	
109	Firing Site (Bldg. 9950)	07/00	
112	Explosive Contaminated Sump (Bldg. 9956)	09/00	
115	Firing Site (Bldg. 9930)	09/00	
117	Trenches (Bldg. 9939)	11/01	
191	EQUUS Red	11/01	
193	Sabotage Test Area	07/00	
194	General Purpose Heat Source Test Area	11/97	
<b>Misc. Sites</b>			
	Building 828, TA-1	04/05	
	TNT Site	04/05	
195	Experimental Test Pit	11/05	
1001	Bldg. 898 Septic System (TA-I)	11/05	
1002	Bldg. 8895/MO 100 Septic System (TA-I)		No Investigation Needed, Active System
1003	Former Bldg. 915/922 Septic System (TA-II)	11/05	

<b>TABLE K-4</b>			
<b>Solid Waste Management Units, Areas of Concern, and Hazardous Waste Management Units for which Corrective Action is Complete without Controls</b>			
<b>SWMU/AOC#</b>	<b>Name or Description</b>	<b>Date of CAC Approval</b>	<b>Comments</b>
1004	Bldg. 6969 Septic System (Robotic Vehicle Range)	02/08	
1005	Bldg. 6020 Septic System (6000 Igloo Area)		No Investigation Needed, Active System
1006	Bldg. 6741 Septic System (TA-III)	06/06	
1007	Bldg. 6530 Septic System (TA-III)	06/06	
1008	Bldg. 6750 Septic System (TA-III)	11/05	
1009	Bldg. 6620 Internal Sump (TA-III)	11/05	
1010	Bldg. 6530 Septic System (TA-III)	06/06	
1013	Bldg. T-52 and Former Bldg. 6500 South Septic System (TA-V)		Does Not Exist
1014	Former T-12, T-42, and T-43 Septic System (TA-V)	11/05	
1015	Bldg. 6530 Septic System (TA-III)	06/06	
1016	Bldg. 914 Seepage Pit (TA-II)		No Investigation Needed
1017	Bldg. 897X Septic System (TA-I)		Does Not Exist
1020	MO-146, MO-235, and T-40 Septic System (TA-III)	06/06	
1021	Bldg. 859 Drywell (TA-I)		No Investigation Needed
1022	Bldg. 6505A Seepage Pit (TA-III)		No Investigation Needed
1023	Bldg. 6505 Southwest Seepage Pit (TA-III)		No Investigation Needed
1024	MO 242-245 Septic System (TA-III)	06/06	
1025	Bldg. 6501 East Septic System (TA-III)	11/05	
1026	Bldg. 6501 West Septic System (TA-III)	11/05	
1027	Bldg. 6530 Septic System (TA-III)	11/05	
1028	Bldg. 6560 Septic System (TA-III)	06/06	
1030	Bldg. 6587 Septic System (TA-III)	11/05	
1031	Former Bldgs. 6589 and 6600 Septic System (TA-III)	02/08	
1032	Bldg. 6610 Septic System (TA-III)	11/05	
1033	Bldg. 6631 Septic System (TA-III)	11/05	
1034	Bldg. 6710 Septic System (TA-III)	02/08	
1035	Bldg. 6715 Septic System (TA-III)	02/08	
1036	Bldg. 6922 Septic System (TA-III)	02/08	
1037	MO 14, MO 15 Septic System (TA-I)		No Investigation Needed, Active System
1038	MO 154 Drywell (TA-I)		No Investigation Needed
1039	MO 155 Drywell (TA-I)		No Investigation Needed
1040	MO 156 Drywell (TA-I)		No Investigation Needed
1041	T-28 Drywell (TA-I)		No Investigation Needed
1042	T-29 Drywell (TA-I)		No Investigation Needed
1043	T-30 Drywells (TA-I)		No Investigation Needed
1044	T-31 Drywell (TA-I)		No Investigation Needed

<b>TABLE K-4</b>			
<b>Solid Waste Management Units, Areas of Concern, and Hazardous Waste Management Units for which Corrective Action is Complete without Controls</b>			
<b>SWMU/AOC#</b>	<b>Name or Description</b>	<b>Date of CAC Approval</b>	<b>Comments</b>
1045	T-32-2 Drywell (TA-I)		No Investigation Needed
1046	T-44 Drywell (TA-I)		No Investigation Needed
1047	T-45 Drywell (TA-I)		No Investigation Needed
1048	T-46 Drywell (TA-I)		No Investigation Needed
1049	T-47 Drywells (TA-I)		No Investigation Needed
1050	T-48 Drywells (TA-I)		No Investigation Needed
1051	Bldg. 803 Outfall (TA-I)		No Investigation Needed
1052	Bldg. 803 Seepage Pit (TA-I)	02/08	
1053	Bldg. 823 Outfall (TA-I)		No Investigation Needed
1054	Bldg. 823 Drywells (TA-I)		No Investigation Needed
1055	Bldg. 829 Drywell (TA-I)		No Investigation Needed
1056	Bldg. 838 Drywell (TA-I)		No Investigation Needed
1057	Bldg. 839 Drywell (TA-I)		No Investigation Needed
1058	Bldg. 847 Drywell (TA-I)		No Investigation Needed
1059	Bldg. 850 Drywell (TA-I)		No Investigation Needed
1060	Bldg. 857A Drywell (TA-I)		No Investigation Needed
1061	Bldg. 867 Drywells (TA-I)		No Investigation Needed
1062	Bldg. 869 Drywell (TA-I)		No Investigation Needed
1063	Bldg. 882 Drywell (TA-I)		No Investigation Needed
1064	Bldg. 890 Drywells (TA-I)		No Investigation Needed
1065	Bldg. 893 Drywells (TA-I)		No Investigation Needed
1066	Bldg. 894 Drywells (TA-I)		No Investigation Needed
1067	Bldg. 959 Drywell (TA-I)		No Investigation Needed
1068	Bldg. 904E Drywell (TA-II)		No Investigation Needed
1069	Bldgs. 913/913A Septic System (TA-II)		Does Not Exist?
1070	Bldg. 962 Drywells (TA-IV)		No Investigation Needed
1071	Bldg. 986 Drywell (TA-IV)		No Investigation Needed
1072	Bldg. T-52 and Former Bldg. 6500 Septic System (TA-V)	11/05	
1073	Bldg. 6580 Seepage Pit (TA-V)	11/05	
1074	Bldgs. 6581/6582 MO 32/57 Septic System (TA-V)		No Investigation Needed
1075	Bldg. 6582 Septic System (TA-V)		Does Not Exist
1076	Bldg. 6585 Septic System (TA-V)		Does Not Exist
1077	Bldg. 6920 Septic System (TA-III)	11/05	
1078	Bldg. 6640 Septic System (TA-III)	02/08	
1079	Bldg. 6643 Septic System (TA-III)	02/08	
1080	Bldg. 6644 Septic System (TA-III)	02/08	
1082	Bldg. 6620 Septic System (TA-III)	11/05	
1083	Bldg. 6570 Septic System (TA-III)	06/06	
1084	Bldg. 6505 Septic System (TA-III)	02/08	
1085	Bldg. 6520 Septic System (TA-III)		Does Not Exist
1086	Bldg. 6526 Septic System (TA-III)	06/06	
1087	Bldg. 6743 Seepage Pit (TA-III)	02/08	
1088	Bldg. 6736 Septic System (TA-III)		Does Not Exist
1089	Bldg. 6734 Seepage Pit (TA-III)	11/05	

<b>TABLE K-4</b>			
<b>Solid Waste Management Units, Areas of Concern, and Hazardous Waste Management Units for which Corrective Action is Complete without Controls</b>			
<b>SWMU/AOC#</b>	<b>Name or Description</b>	<b>Date of CAC Approval</b>	<b>Comments</b>
1091	Bldg. 6720 Septic System (TA-III)	11/05	
1092	MO 228-230 Septic System (TA-III)	02/08	
1093	Bldg. 6584 West Septic System (TA-III)	11/05	
1094	Live Fire Range East Septic System (Lurance Canyon)	12/14	
1095	Bldg. 9938 Seepage Pit (Coyote Test Field)	12/14	
1096	Bldg. 6583 Septic System (TA-III)	11/05	
1097	SFER/127/128/130 Septic System (Lurance Canyon) (DOE Facility)		No Investigation Needed
1098	TA-V Plenum Rooms Drywell (TA-V)	02/08	
1099	Bldg. 634 Outfall (TA-I)		No Investigation Needed
1100	Bldg. 814 Outfall (TA-I)		No Investigation Needed
1101	Bldg. 885 Septic System (TA-I)	12/14	
1102	Former Bldg. 889 Septic System (TA-I)	02/08	
1103	Bldg. 6030 Septic System (6000 Igloo Area)		No Investigation Needed, Active System
1104	Bldg. 6595 Seepage Pit (TA-V)	02/08	
1105	Bldg. 6596 Drywell (TA-V)	11/05	
1106	Bldg. 6505 Interior Sump (TA-III)		No Investigation Needed
1107	Bldg. 6526 Drywell (TA-III)		No Investigation Needed
1108	Bldg. 6531 Seepage Pits (TA-III)	06/06	
1109	Bldg. 6530 Seepage Pit (TA-III)		No Investigation Needed
1110	Bldg. 6536 Drain System (TA-III)	06/06	
1111	Bldg. 6720 Seepage Pit (TA-III)	11/05	Site referred to as Bldg. 6720 Drywell (TA-III) in Consent Order
1112	Bldg. 6590 Reactor Sump Drywell (TA-V)	11/05	
1113	Building 6597 Drywell (TA-V)	02/08	
1114	Bldg. 9978 Drywell (Coyote Test Field)	12/14	
1115	Former Offices Septic System (Solar Tower Complex)	07/12	
1116	Bldg. 9981A Seepage Pit (Solar Tower Complex)	12/14	
1117	Bldg. 9982 Drywell (Solar Tower Complex)	12/14	
1118	Bldg. 9966 Drywell (Thunder Range)		No Investigation Needed
1119	Live Fire Range West Septic System (Lurance Canyon) (DOE Facility)		No Investigation Needed, Active System
1120	Bldg. 6595 Seepage Pit (TA-V)	02/08	
LTES-1	Cable Debris Site	12/14	