



METRIC
Corporation ENVIRONMENTAL ENGINEERING AND SCIENCE

8429 WASHINGTON PLACE NE, SUITE A
ALBUQUERQUE, NEW MEXICO 87113
Phone: (505) 828-2801
Fax: (505) 828-2803

February 9, 2001

Rob

Mr. Michael Hebert, P.E.
RCRA Enforcement Division (EN-HE)
USEPA, Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Dennis McQuillan
NMED
1190 St. Francis Dr.
P.O. Box 26110
Santa Fe, NM 87502



James P. Bearzi, Chief
Hazardous Waste Bureau
New Mexico Environmental Department
2044 Galisteo
Santa Fe, NM 87505

Mr. Baird Swanson
NMED - District 1
4131 Montgomery Blvd. NE
Albuquerque, NM 87109

Enclosed is a copy of the Groundwater Monitoring Program Plan Semi-Annual Report for Sparton Technology, Inc. Coors Road facility. This report is for the third and fourth quarters of 2000.

If you have any questions, please contact us.

Sincerely,

METRIC Corporation

Don Briggs, P.E.
Civil Engineer

DB/rkh

cc: Jan Appel
Stavros Papadopoulos
Charles Stranko

**SPARTON TECHNOLOGY, INC. COORS ROAD FACILITY
GROUNDWATER MONITORING PROGRAM PLAN
SEMI-ANNUAL PROGRESS REPORT**

**PREPARED FOR
SPARTON TECHNOLOGY, INC.
RIO RANCHO, NEW MEXICO**

**PREPARED BY
METRIC CORPORATION
ALBUQUERQUE, NEW MEXICO**

FEBRUARY 2001

TABLE OF CONTENTS

INTRODUCTION	1
GROUNDWATER MONITORING ACTIVITIES	1
ANALYTICAL RESULTS	1
APPENDIX A	THIRD AND FOURTH QUARTER 2000 WATER LEVEL MEASUREMENTS
APPENDIX B	WATER QUALITY SUMMARY

**SPARTON TECHNOLOGY, INC. COORS ROAD FACILITY
GROUNDWATER MONITORING PROGRAM PLAN
SEMI-ANNUAL PROGRESS REPORT**

Introduction

This is the semi-annual progress report covering the Third Quarter 2000 and Fourth Quarter 2000 groundwater sampling events conducted under the "Groundwater Monitoring Program Plan, Sparton Technology, Inc., Coors Road Facility, Albuquerque, New Mexico, undated." The Third Quarter 2000 sampling event was conducted from August 8, 2000 through August 9, 2000. The Fourth Quarter, 2000 sampling event was conducted from November 8, 2000 through November 30, 2000.

Groundwater Monitoring Activities

Water levels were measured in all wells listed in Table 3-1 of the Groundwater Monitoring Program Plan on August 2, 2000 for the Third Quarter 2000 sampling event and on November 7, 2000 for the Fourth Quarter 2000 sampling event. Measured depths to water and calculated water level elevations are presented in APPENDIX A for both quarterly sampling events.

All wells listed in Table 3-1 as requiring quarterly sampling were sampled during the Third Quarter 2000 sampling event. Wells listed as requiring annual, semi-annual and quarterly sampling were sampled during the Fourth Quarter 2000 sampling event. Samples were analyzed for volatile organic compounds (EPA Method 8260B) and total chromium. If the sample water was not clear an additional analysis for dissolved chromium was performed. MW-35 was also re-sampled on August 8, 2000 for dissolved chromium as the previous sampling of this well did not yield enough water for both the total and dissolved analyses.

Analytical Results

The methodology used by the laboratory for Method 8260 was refined for the Fourth

Quarter 2000 sampling event. Subsequently, additional compounds not previously detected are reported under a new column on the Analytical Results summary sheets presented in APPENDIX B.

The final laboratory data package for the Fourth Quarter 2000 sampling event was received on December 22, 2000.

APPENDIX A
THIRD AND FOURTH QUARTER 2000
WATER LEVEL MEASUREMENTS

Sparton Technology, Inc.
Third Quarter Water Level Elevations
August 2, 2000

WATERLEVELS3Q2000.XLS

Well #	MPE	SR Feet	WLE
PW-1	5043.84	71.62	4972.22
PZ-1	5142.17	186.52	4955.65
MW-7	5044.80	68.20	4976.60
MW-9	5044.11	71.93	4972.18
MW-12	5042.58	70.78	4971.80
MW-13	5043.25	69.58	4973.67
MW-14	5043.04	DRY	NA
MW-15	5047.49	DRY	NA
MW-16	5047.50	69.66	4977.84
MW-17	5049.28	71.38	4977.90
MW-18	5045.32	74.54	4970.78
MW-19	5046.25	75.53	4970.72
MW-20	5045.79	75.44	4970.35
MW-21	5048.36	DRY	NA
MW-22	5048.06	71.04	4977.02
MW-23	5048.51	73.10	4975.41
MW-24	5048.70	71.40	4977.30
MW-25	5049.00	71.68	4977.32
MW-26	5045.71	73.04	4972.67
MW-27	5045.50	72.65	4972.85
MW-28	5042.69	DRY	NA
MW-29	5044.51	71.72	4972.79
MW-30	5044.70	73.50	4971.20
MW-31	5043.53	73.48	4970.05
MW-32	5048.05	78.25	4969.80
MW-33	5044.29	72.85	4971.44
MW-34	5034.49	60.96	4973.53
MW-35	5042.50	72.15	4970.35
MW-36	5059.46	90.89	4968.57
MW-37	5090.85	DRY	NA
MW-38	5044.32	71.50	4972.82
MW-39	5044.06	72.61	4971.45
MW-40	5043.35	73.26	4970.09
MW-41	5046.77	76.87	4969.90
MW-42	5057.33	87.82	4969.51
MW-43	5057.74	88.45	4969.29
MW-44	5058.75	90.07	4968.68

Well #	MPE	SR Feet	WLE
MW-45	5089.65	122.86	4966.79
MW-46	5118.98	153.56	4965.42
MW-47	5155.83	190.90	4964.93
MW-48	5168.31	204.42	4963.89
MW-49	5043.67	73.50	4970.17
MW-50	5211.22	DRY	NA
MW-51	5060.31	80.83	4979.48
MW-52	5156.79	196.40	4960.39
MW-53	5164.24	201.77	4962.47
MW-54	5097.64	133.25	4964.39
MW-55	5168.61	205.87	4962.74
MW-56	5168.61	204.73	4963.88
MW-57	5103.54	139.42	4964.12
MW-58	5168.89	205.51	4963.38
MW-59	5060.61	92.28	4968.33
MW-60	5134.87	171.10	4963.77
MW-61	5135.23	171.36	4963.87
MW-62	5075.00	109.18	4965.82
MW-63	5063.10	93.08	4970.02
MW-64	5097.84	133.47	4964.37
MW-65	5156.45	196.34	4960.11
MW-66	5103.03	140.23	4962.80
MW-67	5169.21	212.58	4956.63
MW-68	5165.53	205.25	4960.28
MW-69	5165.46	205.33	4960.13
MW-70	5046.65	77.62	4969.03
MW-71	5134.59	177.95	4956.64
MW-72	5056.25	86.50	4969.75
MW-73	5045.07	75.24	4969.83
CW-1	5168.02	229.58	4938.44
OB-1	5169.10	211.69	4957.41
OB-2	5165.26	206.43	4958.83
PZG-1	5090.90	DRY	NA
Canal	4996.07	4.04	4992.03

Sparton Technology, Inc.
Fourth Quarter Water Level Elevations
November 7, 2000

WATERLEVELS4Q2000

Well #	MPE	SR Feet	WLE
PW-1	5043.84	71.63	4972.21
PZ-1	5142.17	186.77	4955.40
MW-7	5044.80	68.41	4976.39
MW-9	5044.11	72.08	4972.03
MW-12	5042.58	70.90	4971.68
MW-13	5043.09	69.65	4973.44
MW-14	5043.04	DRY	NA
MW-15	5047.49	DRY	NA
MW-16	5047.50	69.70	4977.80
MW-17	5049.28	71.03	4978.25
MW-18	5045.32	74.55	4970.77
MW-19	5046.25	75.59	4970.66
MW-20	5045.79	75.50	4970.29
MW-21	5048.36	DRY	NA
MW-22	5048.06	71.09	4976.97
MW-23	5048.51	73.35	4975.16
MW-24	5048.70	71.08	4977.62
MW-25	5049.00	71.34	4977.66
MW-26	5045.71	73.13	4972.58
MW-27	5045.50	72.52	4972.98
MW-28	5042.69	DRY	NA
MW-29	5044.51	71.93	4972.58
MW-30	5044.70	73.63	4971.07
MW-31	5043.53	73.58	4969.95
MW-32	5048.05	78.29	4969.76
MW-33	5044.29	72.96	4971.33
MW-34	5034.49	61.27	4973.22
MW-35	5042.50	72.20	4970.30
MW-36	5059.46	90.90	4968.56
MW-37	5090.85	DRY	NA
MW-38	5044.32	71.71	4972.61
MW-39	5044.06	72.72	4971.34
MW-40	5043.35	73.35	4970.00
MW-41	5046.77	76.90	4969.87
MW-42	5057.33	87.77	4969.56
MW-43	5057.74	88.39	4969.35
MW-44	5058.75	90.07	4968.68

Well #	MPE	SR Feet	WLE
MW-45	5089.65	122.85	4966.80
MW-46	5118.98	153.57	4965.41
MW-47	5155.83	190.95	4964.88
MW-48	5168.31	204.50	4963.81
MW-49	5043.67	73.80	4969.87
MW-50	5211.22	DRY	NA
MW-51	5060.31	80.23	4980.08
MW-52	5156.79	196.50	4960.29
MW-53	5164.24	201.92	4962.32
MW-54	5097.64	133.21	4964.43
MW-55	5168.61	205.85	4962.76
MW-56	5168.61	204.79	4963.82
MW-57	5103.54	139.45	4964.09
MW-58	5168.89	205.65	4963.24
MW-59	5060.61	92.13	4968.48
MW-60	5134.87	171.22	4963.65
MW-61	5135.23	171.48	4963.75
MW-62	5075.00	109.18	4965.82
MW-63	5063.10	92.94	4970.16
MW-64	5097.84	133.49	4964.35
MW-65	5156.45	196.44	4960.01
MW-66	5103.03	140.14	4962.89
MW-67	5169.21	212.06	4957.15
MW-68	5165.53	205.42	4960.11
MW-69	5165.46	205.38	4960.08
MW-70	5046.65	77.64	4969.01
MW-71	5134.59	177.45	4957.14
MW-72	5056.25	86.50	4969.75
MW-73	5045.07	75.30	4969.77
CW-1	5168.02	229.65	4938.37
OB-1	5169.10	211.75	4957.35
OB-2	5165.26	206.52	4958.74
PZG-1	5090.90	DRY	NA
Canal	4996.07	DRY	NA

MW-13 MP - Wellhead was disturbed, repaired and resurveyed between the 3rd & 4th quarter sampling events.

APPENDIX B
WATER QUALITY SUMMARY

SPARTON TECHNOLOGY, INC.
GROUNDWATER MONITORING PROGRAM PLAN ANALYTICAL RESULTS
3rd and 4th QUARTER 2000 SAMPLING

qtrlysamp4.xls

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
PZ-1(NSR)									
UFZ									
PW-1(NSR)	02/19/98	19	<1.0	1.2	NA	NA	NA	NA	
EPA	02/19/98	22	<3.2	<2.5	NA	NA	NA	NA	
UFZ	12/04/98	48	1	2.2	0.091	0.04	0.045	0.05	
MW-7(A)	12/01/98	63	15	12	0.33	0.18	0.014	0.02	
UFZ	11/16/99	84	16	8.8	0.027	NA	0.011	NA	
	11/17/00	89	21	8.1	0.0278	NA	0.0100	NA	1,1,2-TCTFA:11
MW-9(A)	01/07/91	1700	130						
UFZ	04/01/91	1600	0	430					
	06/17/91	1400	120						
	07/08/91	1300	99						
	10/07/91	1000	79						
	01/14/92	1200	0						
	04/06/92	1400	72						
	07/13/92	930	47						
	09/23/92	1000	61						
	01/11/93	690	71	200					
	04/14/93	820	69	190					
	07/29/93	730	42	110	<0.02	<0.02			
	10/06/93	680	35	84					
	11/29/93	680	35	110					
	01/19/94	790	34	120					
	04/06/94	740	22	71					
	07/20/94	750	50	91	<0.010	<0.02			
	10/27/94	750	51	97					
	01/08/95	850	57	120					
	04/19/94	790	39	91					
	08/01/95	490	43	52	<0.01	<0.05			
	10/11/95	650	30	71					
	01/16/96	570	25	82	<0.01				

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	04/24/96	710	46	91					
	07/17/96	460	49	51	<0.01	<0.01			
	10/04/96	540	48	63					
NMED	10/04/96	350	39	34	0.003				
	02/04/97	550	32	48					
	04/24/97	580	99	100					
	08/20/97	390	32	36	<0.01	<0.02			
	10/23/97	500	41	43					
	01/22/98	410	31	<1.0					
	04/23/98	310	37	21					
	07/31/98	370	30	29	<0.01	<0.01			
	12/03/98	290	19	18	0.008	0.01	0.006	0.02	
	05/26/99	270	17	15	<0.05	<0.01			
	11/05/99	220	16	14	0.007	NA	NA	NA	
	11/13/00	180	10	9.1	✓ <0.005	NA	NA	NA	MeCl:3.2; 1,1-DCA:2.0; PCE:2.1
MW-12(A)	12/07/98	380	26	18	0.05	0.02	0.02	0.02	
UFZ	11/18/99	230	25	10	0.031	NA	0.022	NA	
	11/14/00	220	22	9	✓ 0.0409	NA	0.0301	NA	MeCl:3.1; 1,1-DCA:1.2
MW-13(A)	12/01/98	70	3.2	8	0.011	0.01	0.007	0.02	
UFZ	11/15/99	57	3.8	5.7	0.013	NA	0.0055	NA	
	11/14/00	40	2	3.9	✓ 0.0085	NA	0.0052	NA	
MW-14(A)	01/08/91	1700	0						
UFZ	04/01/91	1400	0						
	06/17/91	1100	51	<50					
	07/02/91	1400	54						
	10/07/91	1100	56						
	1/14/92	1300	110						
	04/06/92	1400	<50						
	07/13/92	860	<50						
	09/23/92	1100	54						
	01/11/93	850	42	20					
	04/14/93	850	41	19					
	07/29/93	720	31	14	0.66	0.66			
	10/06/93	700	31	16					
	11/29/93	640	31	14					

c 105 mg/L

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	01/19/94	680	27	6.3					
	04/06/94	730	19	13					
	07/20/94	730	34	<25	0.573	0.6			
	10/27/94	700	50	16					
	02/08/95	690	33	12					
	04/19/95	1000	17	10					
	08/01/95	470	29	9	1	0.91			
	10/10/95	470	18	11					
	01/12/96	290	4.6	5.8	1.53				
	04/24/96	420	16	6.7					
	07/17/96	300	19	5.5	1.3	1.24			
	10/04/96	490	19	7.9					
NMED	10/04/96	295	21	<12.5	1				
	02/04/97	260	12	3.9					
	04/24/97	570	33	8.1					
	08/21/97	530	29	6.6	0.68	0.6			
	10/23/97	530	34	9.1					
	01/22/98	390	20	5.5					
	04/23/98	510	28	<20					
	07/31/98	450	27	5.4	0.6	0.6			
	12/01/98	430	24	4.2	0.11	<0.01	<0.005	0.01	
DRY	05/13/99								
DRY	10/29/99								
DRY	11/07/00								
MW-15(NSR)	01/08/91	110	6						
UFZ	04/01/91	5	0	<50					
	06/20/91	91	6.3	36					
	07/02/91	110	0						
	10/08/91	80	5						
	01/15/92	64	<5						
	04/07/92	54	<5						
	07/14/92	49	<5						
	09/23/92	66	<5	20					
	01/12/93	52	5	16					
	04/15/93	1.9	<0.2	<0.2					

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	07/27/93	56	3	23	<0.010				
	10/06/93	44	2.7	18					
	12/07/93	39	2	14					
	01/19/94	36	1.8	14					
DRY	04/06/94								
	07/20/94	52	2	15	<0.010	<0.02			
	10/28/94	31	0.8	11					
	02/08/95	45	2	13					
DRY	04/20/95								
	08/02/95	21	1J	7	<0.01	<0.05			
	10/11/95	15	<0.2	2.4					
DRY	01/17/96								
DRY	04/24/96								
DRY	07/17/96								
DRY	10/04/96								
DRY	02/04/97								
DRY	04/24/97								
DRY	08/21/97								
DRY	10/23/97								
DRY	01/22/98								
DRY	04/23/98								
DRY	07/31/98								
DRY	11/17/98								
MW-16(A)	01/08/91	16000	0						
UFZ	04/01/91	12000	0						
	06/18/91	17000	1400	11000					
	07/02/91	16000	620						
	07/23/91	12000	650						
	01/15/92	13000	<1000						
	04/06/92	12000	540						
	07/14/92	15000	<500						
	09/23/92	14000	560						
	01/11/93	13000	400	5900					
	04/14/93	12000	470	5900					
	07/29/93	11000	310	4200	0.28	0.28			

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	10/06/93	13000	360	6200					
	11/29/93	13000	360	5100					
	01/19/94	12000	360	4400					
	04/06/94	11000	190	3200					
	07/20/94	11000	230	3700	0.376	0.4			
	10/28/94	11000	280	4000					
	02/08/95	8700	340	3100					
	04/21/95	7100	200	2100					
	08/01/95	9100	280	2700					
	10/11/95	7400	140	2200	0.57	0.52			
	01/16/96	7600	93	1900	0.19				
	04/25/96	9700	110	1200					
	07/17/96	7400	170	1800	0.13	0.11			
NMED	10/04/96	8300	200	2100					
	10/04/96	6200	<500.0	1400					
	02/04/97	6000	130	1400					
	04/24/97	5300	82	1200					
	08/21/97	3000	<100	520	0.26	0.3			
	10/23/97	3900	<64	700					
	01/22/98	4100	<73	800					
	04/23/98	1900	23	400					
	07/31/98	2000	49	320	0.38	0.07			
	12/08/98	1200	30	170	1.1	<0.1	0.071	0.07	
	05/25/99	280	12	48	0.308	0.06	<0.005	0.04	
	11/18/99	46	3.5	6.9	0.55	NA	0.13	NA	
	11/20/00	12	<1.0	1.4	0.45	NA	0.27	NA	
MW-17(A)	12/01/98	68	3.5	13	0.8	0.8	0.75	0.77	
UFZ	11/16/99	21	1.5	3.4	0.031	NA	<0.005	NA	
SP	02/10/00				0.14		<0.005		
	11/17/00	9.4	<1.0	1.5	0.0057	NA	<0.005	NA	Benz.:1.6
MW-18(A)	02/17/98	1100	120	100	NA	NA	NA	NA	
EPA	02/17/98	1000	140	110	NA	NA	NA	NA	
UFZ	12/02/98	600	50	42	<0.005	<0.01	<0.005	<0.01	
	11/19/99	980	180	60	0.012	NA	0.012	NA	
	02/10/00	NA	NA	NA	0.006	NA	<0.005	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	11/17/00	500	42	18	<0.005	NA	<0.005	NA	Chloro:1.1; PCE:3.0
MW-19(A)	01/07/91	680	57						
ULFZ	04/02/91	690	55						
	06/17/91	570	48	<25					
	07/08/91	190	12						
	10/07/91	170	10						
	01/14/92	130	7.3						
	04/06/92	230	10						
	07/13/92	140	8						
	09/23/92	120	7						
	01/11/93	57	3	2					
	04/15/93	110	11	0.8					
	07/29/93	62	3	1	<.02	<.02			
	10/06/93	45	2.6	<0.2					
	11/29/93	39	2	<1.0					
	01/19/94	48	2.4	<0.2					
	04/06/94	81	2.8	0.8					
	07/20/94	61	<4	<4	<.01	<.05			
	10/27/94	47	2.5	1.1					
	02/08/95	72	4	2					
	04/19/95	92	3.1	<1.0					
	08/02/95	39	3J	1J	<0.01	<0.05			
	10/11/95	48	1.7	1.3					
	01/17/96	24	0.7	<1.0	<0.01				
	04/24/96	88	1.5	<1.0					
	07/17/96	11	1.1	<1.0	<0.01	<0.05			
	10/04/96	8	0.5	<1.0					
NMED	10/04/96	7.7	1.2	0.6	<0.0010				
	02/04/97	6.4	<0.2	<1.0					
	04/24/97	9.4	0.6	<1.0					
	08/20/97	13	1	<1.0	<0.01	<0.02			
	10/23/97	16	0.8	<1.0					
	01/22/98	12	1.1	<1.0					
	04/23/98	14	1.1	<1.0					
	07/31/98	18	1.4	<1.0	<0.01	<0.01			

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	11/23/98	4.2	<1.0	<1.0	<0.005	<0.01	NA	NA	
	05/20/99	5.5	<1.0	<1.0	0.007	<0.01			
	11/08/99	2.4	<1.0	<1.0	<0.005	NA	NA	NA	
	11/15/00	3.3	<1.0	<1.0	<0.005	NA	NA	NA	
MW-20(A)	01/07/91	28	<5						
LLFZ	06/17/91	12	<5	<5					
	07/08/91	12	<5						
	10/07/91	16	<5						
	01/14/92	5	<5	ND					
	04/06/92	5	<5	ND					
	07/13/92	5	<5	ND					
	09/23/92	30	<5						
	01/11/93	3	<1.0	<1.0					
	04/15/93	31	1.6	13					
	07/29/93	7	<1.0	<1.0	<0.02	<0.02			
	10/06/93	23	1.1	1					
	12/02/93	6	<1.0	<1.0					
	01/19/94	1.1	<0.2	<0.2					
	04/06/94	0.2	<0.2	<0.2					
	07/20/94	8	<1.0	<1.0	<0.01	<0.02			
	10/27/94	44	1.1	1.4					
	02/08/95	5	<1.0	<1.0					
	04/19/95	0.2	<0.2	<1.0					
	08/02/95	11	<5	<5					
	10/11/95	26	1.2	2.1	<0.01	<0.05			
	01/17/96	1.3	<0.2	<1.0	<0.01				
	04/24/96	0.4	<0.2	<1.0					
	07/17/96	<1.0	<1.0	<1.0	<0.01	<0.05			
	10/04/96	0.4	<0.2	<1.0					
NMED	10/04/96	0.8	<0.5	<0.5	<0.0010				
	02/04/97	<0.3	<0.2	<1.0					
	04/24/97	<0.3	<0.2	<1.0					
	08/20/97	1.1	<1.0	<1.0	<0.01	<0.02			
	10/23/97	<0.3	<0.2	<1.0					
	01/22/98	<0.3	<0.2	<1.0					

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	04/23/98	<0.3	<0.2	<1.0					
	07/31/98	3.1	<0.2	<1.0	<0.01	<0.01			
	11/23/98	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	05/20/99	<1.0	<1.0	<1.0	0.007	<0.01			
	11/08/99	<1.0	<1.0	<1.0	0.005	NA	NA	NA	
	11/15/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
MW-21(A)	01/08/91	910	76						
UFZ	04/01/91	400	29						
	06/18/91	500	77	470					
	07/02/91	440	40						
	10/08/91	880	79						
	01/14/92	680	62						
	04/06/92	360	<25						
	07/13/92	390	31						
	09/23/92	460	38						
	01/11/93	430	38	330					
	04/14/93	240	21	190					
	07/29/93	350	17	210	<0.02	<0.02			
	10/06/93	480	30	330					
	11/29/93	490	33	290					
	07/20/94	380	23	240					
	07/20/94	280	11	150					
	07/20/94	210	17	110	<0.01	<0.02			
	10/27/94	360	32	210					
	02/08/95	270	19	140					
	04/19/95	160	6	70					
	08/02/95	200	13	92	<0.01	<0.05			
	10/10/95	280	12	120					
	01/12/96	220	10	95	<0.01				
	04/24/96	140	5.6	65					
	07/17/96	180	11	72	<0.01	<0.05			
	10/04/96	150	6.4	48					
NMED	10/04/96	79	<10	28					
	02/04/97	97	3.9	33					
	04/24/97	99	2.8	34					

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	08/21/97	61	2.6	21	<0.01	<0.02			
	10/23/97	130	3.3	37					
	01/22/99	66	2.8	18					
	04/23/98	59	<4	<20					
	07/31/98	20	0.8	5	0.06	0.04			
	12/02/98	7.5	<1.0	1.1	0.1	<0.02	<0.005	<0.02	
DRY	05/13/99								
	11/18/99	1.7	<1.0	<1.0	0.044	NA	0.005	NA	
DRY	11/07/00								
MW-22(A)	01/08/91	75	47						
UFZ	04/01/91	92	31						
	06/20/91	110	30	130					
	07/02/91	110	30						
	10/08/91	93	30						
	01/15/92	65	40						
	04/07/92	90	31						
	07/14/92	72	21						
	09/23/92	48	25						
	01/11/93	51	26	75					
	04/15/93	55	22	68					
	07/29/93	47	13	47	<0.02	<0.02			
	10/06/93	41	22	51					
	12/07/93	41	20	51					
	01/19/94	50	22	57					
	04/06/94	62	14	52					
	07/20/94	44	18	50	<0.01	<0.02			
	10/28/94	45	16	31					
	02/08/95	72	20	54					
	04/21/95	100	10	48					
	08/02/95	32	8	23	<0.01	<0.05			
	10/11/95	34	6.9	23					
	01/16/96	46	6.2	29	<0.01				
	04/25/96	81	9.2	43					
	07/17/96	43	9	26	<0.01	<0.05			
	10/04/96	33	8	22					

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
NMED	10/04/96	18	5.6	12	0.001	0.001			
	02/04/97	40	6.8	41					
	04/24/97	74	11	37					
	08/21/97	44	6.2	21	<0.01	<0.02			
	10/23/97	54	9.3	27					
	01/22/98	65	8.8	31					
	04/23/98	78	9.3	36					
	07/31/98	35	4.8	14	0.02	<0.01			
	11/19/98	13	2	4.6	<0.005	<0.01	NA	NA	
	05/19/99	21	2.7	5.6	<0.005	<0.01	NA	NA	
	11/09/99	7	1.3	2.7	<0.0050	NA	NA	NA	
	11/17/00	3.1	<1.0	1.4	<0.0050	NA	NA	NA	
MW-23(A)	02/17/98	9900	770	1600	NA	NA	NA	NA	
EPA	02/17/98	13000	890	1600	NA	NA	NA	NA	
UFZ	12/03/98	6200	400	720	0.13	0.03	0.048	0.04	
	11/18/99	1300	110	120	0.073	NA	0.03	NA	
	11/20/00	2300	120	180	0.436	NA	0.162	NA	1,1-DCA:2.6; Chloro:3.2; 1,1,2-TCA:8.6; PCE:15; 1,1,1,2-PCA:4.0
MW-24(NSR)	02/19/98	6100	98	890	NA	NA	NA	NA	
EPA	02/19/98	6800	120	900	NA	NA	NA	NA	
UFZ	12/08/98	4700	74	480	0.31	<0.01	0.015	0.02	
MW-25(A)	02/19/98	11000	230	1200	7.6	0.31	0.24	0.33	
EPA	02/19/98	13000	62	1300	NA	NA	NA	NA	
UFZ	12/08/98	5600	73	540	0.66	0.4	0.41	0.45	
	11/19/99	210	13	20	0.005	NA	0.33	NA	
	11/17/00	280	40	7.1	2.54	NA	0.215	NA	MeCl:7.3; cis-1,2-DCE:19; 1,1-DCA:1.0; Chloro:1.4; PCE:3.5
MW-26(A)	02/18/98	4700	540	530	NA	NA	NA	NA	
EPA	02/18/98	4600	500	490	NA	NA	NA	NA	
UFZ	12/03/98	6500	590	550	0.19	0.05	0.043	0.05	
	11/19/99	3900	400	380	0.45	NA	0.07	NA	
	02/10/00	NA	NA	NA	0.78	NA	0.075	NA	
	11/17/00	3000	310	240	0.745	NA	0.0617	NA	1,1,2-TCTFA:6.0; 1,1-DCA:5.6; Benz:1.6; 1,1,2-TCA:5.5;
									PCE:20; 1,1,1,2-PCA:3.0
MW-27(NSR)	02/17/98	440	24	90	NA	NA	NA	NA	
EPA	02/17/98	580	25	96	NA	NA	NA	NA	
UFZ	12/02/98	380	24	57	0.027	<0.01	<0.005	0.01	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
MW-28(NSR)									
DRY-UFZ	02/16/99	NA	NA	NA	NA	NA	NA	NA	
MW-29(A)	11/19/98	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
ULFZ	11/05/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/14/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
MW-30(A)	11/23/98	5.4	<1.0	<1.0	0.025	0.03	NA	NA	
ULFZ	11/08/99	3.4	<1.0	<1.0	0.042	NA	NA	NA	
	11/13/00	3.4	<1.0	<1.0	0.0351	NA	NA	NA	
PZ-7 (Dup.)	11/13/00	3.2	<1.0	<1.0	0.0368	NA	NA	NA	
MW-31(A)	11/23/98	<1.0	<1.0	<1.0	0.014	0.02	NA	NA	
ULFZ	11/09/99	<1.0	<1.0	<1.0	0.0065	NA	NA	NA	
	11/20/00	18	1.3	1.4	0.0220	NA	NA	NA	
MW-32(A)	10/04/91	5100	540	<420					
LLFZ	11/06/91	2400	350	<250					
	12/12/91	2400	380	200					
	01/29/92	5100	850	440					
	04/22/92	6000	1100	510					
	07/22/92	7500	870	540					
	09/21/92	2600	550	260					
	01/12/93	830	130	74					
	04/14/93	1500	470	200					
	07/27/93	4400	1000	380	<0.01				
	10/06/93	780	140	71					
	12/07/93	490	80	40					
	01/18/94	580	98	45					
	04/05/94	1700	250	110					
	07/19/94	400	58	62					
	10/25/94	1700	310	88	<0.01				
	02/07/95	2000	430	99					
	04/18/95	1600	320	82					
	08/01/95	4200	810	170					
	10/10/95	2800	420	120					
	01/11/96	760	110	36	<0.01				
	04/23/96	2400	350	<250		<0.05			
	07/16/96	400	77	19					

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	10/04/96	690	150	40					
NMED	10/04/96	500	120	25	<.0010				
	02/03/97	390	71	20					
	04/24/97	1800	310	75					
	08/21/97	550	110	34					
	10/22/97	960	190	39					
	01/21/98	1600	320	66					
	04/23/98	1200	240	54					
	08/07/98	1300	260	54					
	11/30/98	550	96	30	<0.005	<0.01	NA	NA	
	11/10/99	710	200	24	<0.005	NA	NA	NA	
	11/21/00	340	69	9.3	<0.005	NA	NA	NA	PCE:3.2; 1,1,DCA:3.1
MW-33(A)	12/02/98	630	53	28	0.22	<0.01	<0.005	<0.01	
UFZ	11/16/99	320	46	19	1.9	NA	0.006	NA	
	11/13/00	270	37	17	0.501	NA	<0.005	NA	1,1,2-TCTFA:5.0; 1,1-DCA:3.1
MW-34(A)	11/18/98	<1.0	<1.0	<1.0	0.16	0.04	NA	NA	
SP	02/18/99	NA	NA	NA	0.1	<0.01	<0.005	<0.01	
UFZ	11/04/99	<1.0	<1.0	<1.0	0.033	NA	NA	NA	
SP	02/09/00	NA	NA	NA	0.022	NA	<0.005	NA	
	11/28/00	<1.0	<1.0	<1.0	2.34	NA	0.00590	NA	
MW-35(A)	12/08/98	<1.0	<1.0	<1.0	0.048	0.04	0.03	0.04	
UFZ	11/16/99	<1.0	<1.0	<1.0	0.1	NA	0.052	NA	
	02/10/00	NA	NA	NA	0.049	NA	NA	NA	
	08/08/00	NA	NA	NA	NA	NA	0.0602	NA	
	11/28/00	<1.0	<1.0	<1.0	0.0530	NA	NA	NA	
MW-36(A)	10/02/91	19	<5.0	<5.0					
UFZ	01/08/92	15	<5.0	<5.0					
	04/02/92	14	<5.0	<5.0					
	07/21/92	10	<5.0	<5.0					
	09/22/92	8.3	<5.0	<5.0					
	01/14/93	7	<1.0	<1.0					
	04/13/93	4	<1.0	<1.0					
	07/27/93	25	5	2	0.052				
	10/05/93	3	<1.0	<1.0					
	12/07/93	3	<1.0	<1.0					

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	01/17/94	3	<1.0	<1.0					
	04/04/94	2	<1.0	<1.0					
	07/18/94	3	<1.0	<1.0					
	02/07/95	3J	<5	<5					
	04/18/95	3J	<5	<5					
	08/01/95	2J	<5	<5					
	10/10/95	2	<1.0	<1.0					
	01/10/96	1.9	<.02	<1.0	0.03				
	04/24/96	<5.0	<5	<5					
	07/16/96	2.4	<1.0	<1.0					
	10/03/96	<5	<5	<5					
NMED	10/03/96	3	<0.5	<0.5					
	02/03/97	3.5	<1.0	<1.0					
	04/23/97	2.9	<1.0	<1.0					
	08/22/97	1.7	<1.0	<1.0					
	10/22/97	1.6	<1.0	<1.0					
	01/21/98	2.9	<1.0	<1.0					
	04/22/98	1.7	<1.0	<1.0					
	08/06/98	<1.0	<1.0	<1.0					
	12/07/98	1.4	<1.0	<1.0	0.065	0.05	0.043	0.05	
	11/15/99	1	<1.0	<1.0	0.084	NA	0.045	NA	
	11/28/00	<1.0	<1.0	<1.0	0.0521	NA	0.0412	NA	
MW-37(A)	10/04/91	1400	<85	<85					
UFZ	01/08/92	1200	52	<50					
	04/02/92	960	<85	<85					
	07/21/92	800	37	<25					
	09/24/92	810	38	<33					
	01/14/93	510	19	4					
	04/13/93	340	18	4					
	07/28/93	800	28	8					
	10/04/93	600	<10	<10					
	11/30/93	980	46	<20					
	01/18/94	860	38	<10					
	04/05/94	850	37	<25					
	07/19/94	370	9	3					

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	02/07/95	770	40	5					
	04/18/95	750	42	6					
	08/01/95	750	37	6					
	10/10/95	750	31	5					
	01/10/96	720	25	<10	<0.01				
	04/23/96	600	15	<50		<0.05			
	07/16/96	560	<50	<50					
	10/03/96	760	30	<30					
	02/03/97	660	23	<5					
	04/22/97	450	16	2					
	08/22/97	460	19	<10					
	10/22/97	450	18	<5					
	01/21/98	640	21	9.8					
	04/23/98	1500	65	<5					
	08/07/98	990	46	<10					
	12/03/98	990	48	<5	0.016	0.02	<0.005	0.02	
	11/16/99	910	58	2.9	0.25	NA	0.007	NA	
DRY	11/07/00								
MW-38(A)	11/19/98	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
LLFZ	11/05/99	<1.0	<1.0	<1.0	0.0077	NA	NA	NA	
	11/20/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
MW-39(A)	11/23/98	<1.0	<1.0	<1.0	0.17	0.18	NA	NA	
SP	02/18/99	NA	NA	NA	0.054	0.06	0.054	0.06	
LLFZ	11/08/99	<1.0	<1.0	<1.0	0.034	NA	NA	NA	
	11/13/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
MW-40(A)	11/30/98	<1.0	<1.0	<1.0	0.011	0.02	NA	NA	
LLFZ	11/09/99	<1.0	<1.0	<1.0	0.0069	NA	NA	NA	
	11/21/00	7.3	<1.0	<1.0	<0.005	NA	NA	NA	
MW-41(A)	11/19/98	170	26	<15	<0.005	<0.01	NA	NA	
ULFZ	11/10/99	450	100	25	<0.005	NA	NA	NA	
	11/21/00	2500	490	61	<0.005	NA	NA	NA	1,1,2-TCTFA:13; 1,1-DCA:15; Chloro:1.0; Benz:2.8; 1,1,2-TCA:4.3; ChlBenz:2.0; m&p Xyl:1.2; o-Xyl:1.1; PCE:22
MW-42(A)	10/04/91	930	120	170					
ULFZ	01/29/92	740	120	130					
	04/22/92	690	120	120					

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	07/21/92	640	100	110					
	09/24/92	600	95	110					
	01/12/93	680	100	100					
	04/14/93	320	100	85					
	07/28/93	620	79	80					
	10/05/93	600	93	84					
	11/29/93	620	100	91					
	01/18/94	570	97	84					
	04/05/94	490	79	77					
	07/19/94	530	97	76					
	02/07/95	340	84	60					
	04/19/95	340	71	49					
	08/01/95	340	80	52					
	10/10/95	350	56	43					
	01/10/96	470	55	57	<0.01				
	04/24/96	250	64	39					
	07/16/96	330	72	42					
	10/03/96	460	80	50					
NMED	10/03/96	308	76	38	0.002				
	02/03/97	370	68	41					
	04/22/97	370	68	41					
	08/22/97	320	46	33					
	10/22/97	290	50	30					
	01/22/98	310	48	27					
	04/23/98	300	45	25					
	08/07/98	320	45	26					
	11/19/98	370	48	21	<0.005	<0.01	NA	NA	
	05/19/99	270	40	17	<0.005	<0.01	NA	NA	
	11/10/99	360	49	16	<0.005	NA	NA	NA	
	11/21/00	260	36	11	<0.005	NA	NA	NA	1,1,2-TCTFA:6.4; PCE:2.0
MW-43(A)	10/04/91	440	93	120					
LLFZ	01/29/92	260	68	88					
	04/22/92	340	58	69					
	07/21/92	200	37	59					
	09/24/92	180	41	46					

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	01/12/93	200	41	61					
	04/14/93	130	38	54					
	07/28/93	850	150	200					
	10/05/93	160	31	41					
	11/29/93	150	32	48					
	01/18/94	150	38	49					
	04/05/94	120	25	31					
	07/19/94	160	46	39					
	02/07/95	79	28	23					
	04/19/95	98	32	24					
	08/01/95	100	27	26					
	10/10/95	110	25	28					
	01/10/96	95	23	29	<0.01				
	04/24/96	87	24	18					
	07/16/96	73	21	18					
	10/03/96	73	21	18					
NMED	10/03/96	42	15	9.7	0.001				
	02/03/97	78	19	16					
	04/24/97	65	15	14					
	08/22/97	48	10	12					
	10/22/97	41	11	11					
	01/22/98	69	16	15					
	04/23/98	49	11	11					
	08/08/98	37	8.6	9					
	11/19/98	25	5.1	5.4	<0.005	0.01	NA	NA	
	05/19/99	40	7.2	5.8	<0.005	<0.01	NA	NA	
	11/09/99	36	7.2	5.3	<0.005	NA	NA	NA	
	11/21/00	23	3.9	2.3	<0.005	NA	NA	NA	
MW-44(A)	11/18/98	1.3	<1.0	<1.0	<0.01	<0.01	NA	NA	
ULFZ	11/04/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/29/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
MW-45(A)	11/18/98	40	1.7	<1.0					
ULFZ	11/30/98	NA	NA	NA	0.04	0.05	NA	NA	
	11/04/99	26	<1.0	<1.0	0.061	NA	NA	NA	
	11/29/00	24	<1.0	<1.0	0.108	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
MW-46(A)	10/02/91	5200	250	<250					
ULFZ	11/06/91	2600	90	80					
	01/08/92	2300	<100	<100					
	04/02/92	1300	<160	<160					
	07/21/92	960	41	77					
	09/24/92	4200	170	<170					
	01/14/93	1200	22	75					
	04/13/93	1200	7	17					
	07/28/93	1400	44	76					
	10/05/93	2100	73	68					
	12/01/93	1800	<100	<100					
	03/14/94	2500	60	110					
	04/05/94	2700	120	69					
	07/19/94	3200	230	<100					
	02/07/95	2600	120	65					
	04/18/95	2400	190	80					
	08/01/95	3000	130	76					
	10/10/95	3300	230	88					
	01/09/96	3200	220	96	0.19				
	04/23/96	2300	150	<250		0.19			
	07/16/96	1900	180	60					
10/03/96	2400	220	<100						
NMED	10/01/96	1200	150	37	0.12				
	02/03/97	1500	140	45					
	04/22/97	1700	130	42					
	08/22/97	900	66	<25					
	10/22/97	1000	67	<30					
	01/21/98	1200	81	20					
	04/22/98	1500	86	16					
	08/07/98	1400	88	19					
	11/19/98	2200	130	2.3					
	12/02/98	NA	NA	NA	<0.01	<0.01	NA	NA	
	05/18/99	2000	120	18	<0.005	<0.01	NA	NA	
	11/04/99	880	82	12	0.014	NA	NA	NA	
SP	02/09/00	NA	NA	NA	0.026	NA	0.025	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	11/29/00	2900	520	60	0.0190	NA	NA	NA	1,1,2-TCTFA:35; 1,1-DCA:16; Chlor:5.0; Benz:2.6; 1,1,2-TCA:3.9 PCE:26; ChlBenz:1.9;
MW-47(A)	11/17/98	34	1.2	<1.0	0.04	0.04	NA	NA	
UFZ	11/03/99	42	2	<1.0	0.019	NA	NA	NA	
SP	02/09/00	NA	NA	NA	0.019	NA	0.018	NA	
	11/09/00	55	<1.0	<1.0	0.0219	NA	0.0189	NA	
MW-48(A)	10/02/91	220	<25	<25					
UFZ	01/08/92	280	<10	<10					
	04/01/92	290	<25	<25					
	07/20/92	340	<12	<12					
	09/22/97	240	<20	<20					
	01/13/93	360	7	1					
	04/12/93	310	8	<1.0					
	07/28/93	330	12	<5					
	10/04/93	420	12	2					
	12/01/93	350	12	<10					
	01/17/94	350	10	<10					
	04/04/94	340	12	<10					
	07/18/94	370	16	<10					
	02/06/95	253	13	1J					
	04/17/95	300	11	<5					
	07/31/95	250	10	<5					
	10/09/95	270	8	<2					
	01/08/96	350	7	<1.0	0.13				
	04/22/96	150	6	<5		0.11			
	07/15/96	130	5.4	<1.0					
	10/01/96	110	<5	<5					
NMED	10/01/96	64	2	<2.5	0.21				
	01/30/97	73	2.4	<1.0					
	04/21/97	74	2.2	<1.0					
	08/19/97	46	<1.0	<1.0					
	10/20/97	40	1.4	<1.0					
	01/20/98	38	1.4	<1.0					
	04/20/98	36	1.1	<1.0					
	08/06/98	33	1.1	<1.0					

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	11/17/98	28	1	<1.0					
	11/30/98	NA	NA	NA	0.07	0.06	NA	NA	
	05/18/99	28	1.1	<1.0	0.055	0.05	NA	NA	
	11/03/99	34	1.3	<1.0	0.051	NA	NA	NA	
	11/08/00	90	1.3	<1.0	0.0879	NA	NA	NA	
MW-49(A)	11/23/98	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
3rd FZ	11/10/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/21/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
MW-50(NSR)									
DRY - UFZ	11/17/98								
MW-51(A)	10/02/91	<5	<5	<5					
UFZ	01/09/92	11	<5	<5					
	04/22/92	<5	<5	<5					
	07/21/92	<5	<5	<5					
	09/24/92	<5	<5	<5					
	01/14/93	<1.0	<1.0	<1.0					
	04/13/93	<1.0	<1.0	<1.0					
	07/28/93	<1.0	<1.0	<1.0					
	10/05/93	1	<1.0	<1.0					
	11/29/93	2	<1.0	<1.0					
	03/14/94	<1.0	<1.0	<1.0					
	04/05/94	0.6J	<1.0	<1.0					
	07/19/94	<1.0	<1.0	<1.0					
	02/07/95	<5	<5	<5					
	04/18/95	1J	<5	<5					
	08/01/95	<5	<5	<5					
	10/10/95	<1.0	<1.0	<1.0					
	01/11/96	<0.3	<0.2	<1.0	<0.01				
	04/23/96	<5	<5	<5					
	07/16/96	<1.0	<1.0	<1.0					
	10/02/96	<5	<5	<5					
NMED	10/02/96	0.5	<0.5	<0.5	<0.0010				
	01/30/97	<1.0	<1.0	<1.0					
	04/21/97	<1.0	<1.0	<1.0					
	08/21/97	<1.0	<1.0	<1.0					

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	10/21/97	<1.0	<1.0	<1.0					
	01/20/98	<1.0	<1.0	<1.0					
	04/22/98	<1.0	<1.0	<1.0					
	08/07/98	<1.0	<1.0	<1.0					
	11/18/98	<1.0	<1.0	<1.0	<0.01	<0.01	NA	NA	
	11/09/99	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
	11/29/00	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
MW-52(Q)	06/05/90	<1.0	NA	NA					
UFZ	06/07/90	<1.0	NA	NA					
	06/13/91	<5	<5	<5	<0.01				
	12/01/93	<1.0	<1.0	<1.0					
	10/25/94	<5	<5	<5	0.01				
	01/09/96	<0.3	<0.2	<1.0	0.01				
	04/21/97	<1.0	<1.0	<1.0					
	10/20/97	<1.0	<1.0	<1.0					
	01/19/98	<1.0	<1.0	<1.0					
	04/21/98	<1.0	<1.0	<1.0					
	08/11/98	<1.0	<1.0	<1.0					
	11/30/98	<1.0	<1.0	<1.0	<0.01	0.02	NA	NA	
	02/22/99	<1.0	<1.0	<1.0	0.035	0.01	0.014	<0.01	
	05/24/99	<1.0	<1.0	<1.0	<0.05	<0.01	<0.005	0.01	
	08/17/99	<1.0	<1.0	<1.0	0.072	<0.01	0.014	0.01	
	11/12/99	<1.0	<1.0	<1.0	0.016	NA	0.012	NA	
	02/09/00	<1.0	<1.0	<1.0	0.041	NA	0.009	NA	
	05/10/00	<1.0	<1.0	<1.0	0.0106	NA	0.007	NA	
	08/09/00	<1.0	<1.0	<1.0	0.0097	NA	0.0074	NA	
	11/15/00	<1.0	<1.0	<1.0	0.0119	NA	0.0113	NA	
MW-53(A)	10/01/91	<5	<5	<5					
UFZ	01/07/92	6.8	<5	<5					
	04/01/92	9.8	<5	<5					
	07/21/92	14	<5	<5					
	09/22/92	16	<5	<5					
	01/14/93	21	<1.0	<1.0					
	04/13/93	23	<1.0	<1.0					
	07/26/93	33	<1.0	<1.0	0.109				

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	10/04/93	30	<1.0	<1.0					
	12/02/93	32	<1.0	<1.0					
	01/17/94	38	<1.0	<1.0					
	04/04/94	34	.06J	<1.0					
	07/18/94	43	<2	<2					
	10/25/94	40	<5	<5	0.087				
	02/06/95	21	<5	<5					
	04/17/95	41	<5	<5					
	07/31/95	42	<5	<5					
	10/09/95	48	1	<1.0					
	01/09/96	100	1.1	<1.0	0.06				
	04/22/96	36	2	<5		<0.05			
	07/15/96	36	2	<1.0					
	10/01/96	36	<5	<5					
NMED	10/01/96	23	<5	<5	0.037				
	01/30/97	30	1.7	<1.0					
	04/21/97	30	1.5	<1.0					
	08/19/97	33	1.8	<1.0					
	10/20/97	38	2.1	<1.0					
	01/19/98	59	2.6	<1.0					
	04/20/98	82	3.2	<1.0					
	08/06/98	100	3.5	<1.0					
	11/16/98	99	3.4	<1.0	0.07	<0.01	NA	NA	
	05/25/99	40	1.5	<1.0	0.0633	0.08	<0.05	0.06	
	11/12/99	62	2.5	<1.0	0.073	NA	0.065	NA	
	11/10/00	41	<1.0	<1.0	0.0442	NA	0.0414	NA	
MW-54(NSR)	NA	NA	NA	NA	NA	NA	NA	NA	
UFZ									
MW-55(A)	10/01/91	74	<5	<5					
LLFZ	01/07/92	96	<5	<5					
	04/01/92	120	<10	<10					
	07/20/92	130	<5	<5					
	09/22/92	120	<8.5	<8.5					
	01/13/93	190	<1.0	<1.0					
	04/12/93	110	<1.0	<1.0					

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	07/26/93	240	<1.0	<1.0	0.129				
	10/04/93	310	2	<1.0					
	12/01/93	380	<10	<10					
	01/17/94	370	<10	<10					
	04/04/94	390	<10	<10					
	07/18/94	550	<20	<20					
	10/24/94	580	5	<5	0.422	0.5			
	02/06/95	580	6	<5					
	04/17/95	640	8	<5					
	07/31/95	680	8	<5					
	10/09/95	130	<10	<1.0					
	01/08/96	940	8.4	<1.0	1.04				
	04/22/96	790	<25	<130		0.8			
	07/15/96	510	<25	<25					
	10/01/96	640	<30	<30					
NMED	10/01/96	490	<50	<50	0.74				
	01/30/97	610	10	<5					
	04/21/97	530	9.9	<1.0					
	08/19/97	430	<5	<5					
	10/21/97	430	10	<10					
	01/20/98	440	13	<10					
	04/20/98	460	13	<10					
	08/06/98	420	12	<1.0					
	11/16/98	390	10	<1.0	0.18	0.16	NA	NA	
SP	02/18/99	NA	NA	NA	0.15	0.14	0.12	0.14	
	05/18/99	310	11	<5	<0.005	<0.01	NA	NA	
	08/17/99	300	12	<1	0.13	0.12	NA	NA	
	11/02/99	260	10	<5	0.14	NA	NA	NA	
	11/08/00	190	4.5	<1.0	0.0801	NA	NA	NA	
MW-56(A)	10/01/91	210	<5	<5					
ULFZ	01/07/92	260	<10	<10					
	04/01/92	290	<25	<25					
	07/20/92	290	<12	<12					
	09/22/92	240	<20	<20					
	01/13/93	370	4	<1.0					

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	04/12/93	230	<2	<2					
	07/26/93	320	9	<1.0	0.421				
	10/04/93	430	7	<1.0					
	11/30/93	410	<10	<10					
	01/17/94	430	<10	<10					
	04/04/94	370	8J	<10					
	07/18/94	370	10	<10					
	10/24/94	420	9	<5	0.391				
	02/06/95	340	8J	<25					
	04/17/95	370	13	<5					
	07/31/95	360	11	<5					
	10/09/95	350	9	<4					
	01/08/96	430	11	<1.0	0.26				
	04/22/96	330	<10	<50		0.18			
	07/15/96	240	<10	<10					
	10/01/96	310	<30	<30					
NMED	10/01/96	175	8.5	<5	0.15				
	01/30/97	240	8.9	<5					
	04/21/97	240	8	<1					
	08/19/97	220	7	<5					
	10/21/97	210	9.2	<2					
	01/20/98	190	6.5	<2					
	04/20/98	170	5.6	<2					
	08/06/98	170	6.5	<1.0					
	11/16/98	140	4.7	<1.0	0.07	0.07	NA	NA	
	05/19/99	90	3.2	<1.0	0.062	0.06	NA	NA	
	11/02/99	53	2	<1.0	0.056	NA	NA	NA	
	11/08/00	32	<1.0	<1.0	0.0346	NA	NA	NA	
MW-57(Q)	08/31/90	<1.0							
UFZ	06/13/91	<5	<5	<5	0.044				
	12/01/93	<1.0	<1.0	<1.0					
	10/24/94	<5	<5	<5	0.02	<0.02			
	07/31/95	<5	<5	<5					
	10/10/95	<1.0	<1.0	<1.0					
	01/10/96	<0.3	<0.2	<1.0	0.02				

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	04/23/96	<1.0	<1.0	<5		<0.05			
	07/16/96	<1.0	<1.0	<1.0					
	10/03/96	<5	<5	<5					
NMED	10/03/96	0.3J	<0.5	<0.5					
	01/31/97	<1.0	<1.0	<1.0					
	04/22/97	<1.0	<1.0	<1.0					
	08/20/97	<1.0	<1.0	<1.0					
	11/06/97	<1.0	<1.0	<1.0					
	01/21/98	<1.0	<1.0	<1.0					
	04/22/98	<1.0	<1.0	<1.0					
	08/06/98	<1.0	<1.0	<1.0					
	12/08/98	<1.0	<1.0	<1.0	0.024	<0.01	<0.005	<0.01	
	02/22/99	<1.0	<1.0	<1.0	0.042	0.08	<0.005	<0.01	
	05/24/99	<1.0	<1.0	<1.0	<0.05	<0.01	<0.005	<0.01	
	08/18/99	<1.0	<1.0	<1.0	0.026	<0.01	<0.005	<0.01	
	11/15/99	<1.0	<1.0	<1.0	0.021	NA	<0.005	NA	
	02/09/00	<1.0	<1.0	<1.0	0.055	NA	<0.005	NA	
	05/10/00	<1.0	<1.0	<1.0	0.015	NA	<0.005	NA	
	08/09/00	<1.0	<1.0	<1.0	0.0126	NA	<0.005	NA	
	11/28/00	<1.0	<1.0	<1.0	0.0130	NA	<0.005	NA	
MW-58(A)	10/01/91	31	<5	<5					
UFZ	01/08/92	34	<5	<5					
	04/01/92	37	<5	<5					
	07/20/92	37	<5	<5					
	09/24/92	39	<5	<5					
	01/14/93	48	<1.0	<1.0					
	04/13/93	43	<1.0	<1.0					
	07/26/93	62	<1.0	<1.0	0.165				
	10/04/93	64	<1.0	<1.0					
	12/02/93	74	2	<1.0					
	01/17/94	85	2	<1.0					
	04/04/94	93	3	<1.0					
	07/18/94	110	4	<1.0					
	02/06/95	100	4J	<5					
	04/17/95	120	4J	<5					

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	07/31/95	130	4J	<5					
	10/09/95	140	4	<4					
	01/08/96	270	3.4	<1.0	0.15				
	04/23/96	110	<5	<5					
	07/15/96	130	5.4	<1.0					
	10/01/96	140	5	<5					
NMED	10/01/96	88	<10	<10	0.12				
	01/30/97	170	5	<1.0					
	04/21/97	180	5.6	<5					
	08/19/97	180	5.9	<2					
	10/20/97	150	5.8	<1.0					
	01/19/98	130	4.8	<1.0					
	04/20/98	120	4	<1.0					
	08/06/98	95	3.8	<1.0					
	11/16/98	71	2.5	<1.0	0.06	0.06	NA	NA	
	05/25/99	32	1.2	<1.0	0.167	0.02	<0.05	0.06	
	11/15/99	26	<1.0	<1.0	0.38	NA	0.065	NA	
	11/09/00	28	<1.0	<1.0	0.0866	NA	0.0626	NA	
MW-59(A)	11/18/98	<1.0	<1.0	<1.0	<0.01	<0.01	NA	NA	
ULFZ	11/10/99	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
	11/29/00	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
MW-60(A)	10/01/91	<5	<5	<5					
ULFZ	01/08/92	<5	<5	<5					
	04/01/92	<5	<5	<5					
	07/20/92	<5	<5	<5					
	09/24/92	<5	<5	<5					
	01/14/93	1	<1.0	<1.0					
	04/12/93	<1.0	<1.0	<1.0					
	07/27/93	4	<1.0	<1.0	<0.01				
	10/05/93	2	<1.0	<1.0					
	11/30/93	7	<1.0	<1.0					
	01/17/94	3	<1.0	<1.0					
	04/04/94	6	<1.0	<1.0					
	07/18/94	9	<1.0	<1.0					
	10/24/94	24	<5	<5	<0.01	<0.02			

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	02/06/95	16	<5	<5					
	04/17/95	44	<5	<5					
	07/31/95	66	3J	<5					
	10/09/95	100	4	<1.0					
	01/08/96	170	4.8	<1.0	<0.01				
	04/22/96	150	8	<5		<0.05			
	07/15/96	130	6.5	<1.0					
	10/01/96	640	16	<5					
NMED	10/01/96	320	<25	<25	0.003				
	02/03/97	990	40	7.1					
	04/22/97	2400	81	17					
	08/20/97	2600	<100	<100					
	10/21/97	3900	150	27					
	01/20/98	4200	170	26					
	04/21/98	7300	280	<50					
	08/07/98	7500	290	56					
	11/17/98	7700	350	52	<0.01	<0.01	NA	NA	
	05/17/99	10000	490	<100	0.012	0.02	NA	NA	
	11/03/99	11000	480	<100	0.016	NA	NA	NA	
	11/30/00	2900	150	19	0.100	NA	NA	NA	1,1,2-TCTFA:33; Chlor:3.6; 1,1,2-TCA:1.1; PCE:17; HXCLB:2.2
MW-61(A)	10/04/90	<5	<5	<5	<0.010				
UFZ	10/15/90	<5	<5	<5	<0.010				
	06/10/91	<5	<5	<5	<0.010				
	07/27/93	490	15	7	<0.010				
	09/03/93	500	20	6					
	12/02/93	610	24	<20					
	01/18/94	530	18	<10					
	07/18/94	800	36	<25					
	10/25/94	870	32	8	<0.010	<0.02			
	02/09/95	960	52	11					
	04/17/95	1400	55	13					
	07/31/95	1700	70	17					
	10/09/95	2000	54	20					
	01/08/96	1900	34	13	0.04				
	04/22/96	1100	<50	<250		<0.05			

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	07/15/96	760	35	<25					
	10/03/96	1000	<50	<50					
NMED	10/03/96	580	<50	<50	0.032				
	02/03/97	880	37	<10					
	04/22/97	940	<50	<50					
	08/20/97	1000	38	<10					
	10/21/97	1000	39	<10					
	01/20/98	940	39	<10					
	04/21/98	900	36	<10					
	08/06/98	990	55	10					
	12/07/98	1000	54	11	0.086	0.08	0.08	0.08	
SP	02/19/99	NA	NA	NA	0.076	0.08	0.076	0.08	
	05/17/99	410	20	<10	0.065	0.04	NA	NA	
	11/03/99	200	12	<5	0.03	NA	NA	NA	
	11/15/00	150	11	1.5	<0.005	NA	NA	NA	
MW-62(Q)	10/01/91	<5	8	10					
UFZ	01/08/92	<5	7.3	11					
	04/01/92	<5	7.2	10					
	07/20/92	<5	9.5	15					
	09/24/92	<5	8.3	11					
	01/13/93	2	6	9					
	04/12/93	2	6	9					
	07/26/93	3	18	14	<0.01				
	10/04/93	3	9	10					
	12/06/93	3	8	10					
	01/17/94	2	8	9					
	04/04/94	2	8	10					
	07/19/94	3	15	13					
	02/09/95	2J	10	9					
	04/17/95	2J	8	8					
	08/01/95	3J	9	8					
	10/09/95	2	7	7					
	01/09/96	1.8	7	7.2	<0.01				
	04/24/96	<5	5.3	<5					
	07/16/96	1.7	7.2	6.5					

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	10/01/96	<5	7	6					
NMED	10/01/96	1.8	4.8	7	0.004				
	01/30/97	1.9	6.2	6.4					
	04/21/97	2	6.4	6.3					
	08/22/97	2.6	8.2	7.8					
	10/21/97	2.3	8	6.9					
	01/19/98	2.4	8.2	6.7					
	04/22/98	2.3	7.1	5.5					
	08/06/98	3	9.8	7.5					
	12/07/98	2	6.6	4.8	0.032	<0.01	0.007	<0.01	
	02/18/99	1.6	6.1	3.9	0.034	<0.01	0.006	<0.01	
	05/24/99	1.8	5.7	4	<0.05	0.02	<0.05	<0.01	
	08/19/99	2.2	7.4	5.5	0.03	<0.01	0.0056	<0.01	
	11/12/99	2.5	7.4	4.5	0.03	NA	0.008	NA	
	02/09/00	3	12	6.3	0.043	NA	0.008	NA	
	05/10/00	2.5	7.2	5.2	0.0236	NA	0.0094	NA	
	08/09/00	2.6	7.9	5.5	0.0333	NA	NA	NA	
	11/20/00	2.2	7.5	4.9	0.0396	NA	0.00810	NA	
MW-63(NSR)	12/02/98	<1.0	<1.0	<1.0	0.55	<0.01	<0.005	<0.01	
SP - UFZ	02/22/99	NA	NA	NA	0.014	0.03	<0.005	<0.01	
MW-64(A)	10/08/90	<5	<5	<5	<0.01				
ULFZ	10/15/90	<5	<5	<5	<0.01				
	06/14/91	<5	<5	<5	<0.01				
	11/30/93	<1.0	<1.0	<1.0					
	10/24/94	10	<5	<5	<0.01	<0.02			
	02/06/95	11	<5	<5					
	04/18/95	18	<5	<5					
	07/31/95	17	<5	<5					
	10/09/95	8	<1.0	<1.0					
	01/10/96	15	0.6	<1.0	<0.01				
	04/24/96	25	<5	<5					
	07/15/96	32	<1.0	<1.0					
	10/01/96	29	<5	<5					
NMED	10/01/96	18	1.2	<1.0	<0.001				
	01/30/97	27	1.2	<1.0					

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	04/22/97	20	<1.0	<1.0					
	08/20/97	4.4	<1.0	<1.0					
	01/21/98	6.3	<1.0	<1.0					
	04/20/98	4.8	<1.0	<1.0					
	08/06/98	3.4	<1.0	<1.0					
	11/17/98	<1.0	<1.0	<1.0	<0.005	<0.005	NA	NA	
	05/17/99	1.8	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/04/99	5.4	<1.0	<1.0	<0.005	NA	NA	NA	
	11/29/00	36	2.9	<1.0	<0.005	NA	NA	NA	
MW-65(Q)	07/18/96	1.5	<1.0	<1.0	0.02				
LLFZ	10/02/96	8	<5	<5					
NMED	10/02/96	7.4	<0.5	<0.5	<0.001				
	01/30/97	13	<1.0	<1.0					
	04/23/97	15	<1.0	<1.0					
	08/21/97	15	<1.0	<1.0					
	10/20/97	14	<1.0	<1.0					
	01/19/98	14	<1.0	<1.0					
	04/21/98	15	<1.0	<1.0					
	08/06/98	15	<1.0	<1.0					
	11/16/98	13	<1.0	<1.0					
	11/30/98	NA	NA	NA	<0.01	<0.01	NA	NA	
	02/17/99	7	<1.0	<1.0	<0.005	<0.01	NA	NA	
	05/17/99	1.9	<1.0	<1.0	<0.005	<0.01	NA	NA	
	08/23/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/03/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/04/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	02/08/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
duplicate	02/08/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	05/09/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	08/08/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/30/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
MW-66(Q)	06/27/96	<1.0	<1.0	<1.0					
LLFZ	07/18/96	<1.0	<1.0	<1.0	<0.01				
	10/03/96	<5	<5	<5					
NMED	10/03/96	<0.5	<0.5	<0.5	0.001				

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	01/30/97	<1.0	<1.0	<1.0					
	04/22/97	<1.0	<1.0	<1.0					
	08/22/97	<1.0	<1.0	<1.0					
	10/22/97	<1.0	<1.0	<1.0					
	01/21/98	<1.0	<1.0	<1.0					
	04/22/98	<1.0	<1.0	<1.0					
	08/06/98	<1.0	<1.0	<1.0					
	11/17/98	<1.0	<1.0	<1.0	<0.01	<0.01	NA	NA	
	02/17/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	05/18/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	08/23/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/04/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	02/09/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	05/09/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	08/08/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/29/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
MW-67(SA)	07/26/96	<1.0	<1.0	<1.0	<0.01				
DFZ	10/02/96	<5	<5	<5					
NMED	10/02/96	<0.5	<0.5	<0.5	0.007				
	01/30/97	<1.0	<1.0	<1.0					
	04/21/97	<1.0	<1.0	<1.0					
	08/21/97	<1.0	<1.0	<1.0					
	10/21/97	<1.0	<1.0	<1.0					
	01/20/98	<1.0	<1.0	<1.0					
	04/20/98	<1.0	<1.0	<1.0					
	08/06/98	<1.0	<1.0	<1.0					
	11/17/98	<1.0	<1.0	<1.0					
	11/30/98				0.04	<0.01	NA	NA	
	02/18/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	05/18/99	<1.0	<1.0	<1.0	0.13	<0.01	NA	NA	
	08/17/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/03/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	05/09/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
PZ-7 (Dup.)	05/09/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/08/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
MW-68(Q)	07/18/96	<1.0	<1.0	<1.0	<0.01				
UFZ	10/02/96	<5	<5	<5					
NMED	10/02/96	<0.5	<0.5	<0.5	<0.001				
	01/30/97	<1.0	<1.0	<1.0					
	04/23/97	<1.0	<1.0	<1.0					
	08/19/97	<1.0	<1.0	<1.0					
	10/20/97	<1.0	<1.0	<1.0					
	01/19/98	<1.0	<1.0	<1.0					
	04/21/98	<1.0	<1.0	<1.0					
	08/06/98	<1.0	<1.0	<1.0					
	11/12/98	<1.0	<1.0	<1.0	<0.01	<0.01	NA	NA	
	02/17/99	<1.0	<1.0	<1.0	<0.005	0.01	NA	NA	
	05/17/99	<1.0	<1.0	<1.0	<0.005	0.01	NA	NA	
	8/18/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/02/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	02/08/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	05/09/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	08/08/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/15/00	<1.0	<1.0	<1.0	0.0121	NA	NA	NA	
MW-69(Q)	07/26/96	<1.0	<1.0	<1.0	<0.01				
LLFZ	10/02/96	<5	<5	<5					
NMED	10/02/96	<0.5	<0.5	<0.5	<0.001				
	01/30/97	<1.0	<1.0	<1.0					
	04/23/97	<1.0	<1.0	<1.0					
	08/19/97	<1.0	<1.0	<1.0					
	10/20/97	<1.0	<1.0	<1.0					
	01/19/98	<1.0	<1.0	<1.0					
	04/21/98	<1.0	<1.0	<1.0					
	08/06/98	<1.0	<1.0	<1.0					
	11/12/98	<1.0	<1.0	<1.0	<0.01	<0.01	NA	NA	
	02/17/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	05/17/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	08/18/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/02/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	02/08/00	2.6	<1.0	<1.0	<0.005	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
	05/09/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	08/08/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/15/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
MW-70(A)	02/18/98	<1.0	<1.0	<1.0					
EPA	02/18/98	<3	<2.5	<2.5					
3rd FZ	04/22/98	<1.0	<1.0	<1.0					
	08/06/98	<1.0	<1.0	<1.0					
	11/23/98	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	02/17/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	05/19/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	08/19/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/09/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/28/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
MW-71(Q)	11/17/98	56	1.6	<1.0	<0.01	<0.01	NA	NA	
DFZ	02/17/99	35	1	<1.0	<0.005	<0.01	NA	NA	
	05/17/99	42	1.1	<1.0	<0.005	0.01	NA	NA	
	08/19/99	46	1.2	<1.0	<0.005	<0.01	NA	NA	
	11/03/99	65	1.8	<1.0	<0.005	NA	NA	NA	
	02/09/00	110	3.8	<1.0	0.009	NA	NA	NA	
	05/09/00	120	2.9	<1.0	0.0098	NA	NA	NA	
	08/08/00	150	4.3	<1.0	0.0115	NA	NA	NA	
	11/29/00	180	5.9	<1.0	0.0159	NA	NA	NA	MeCl:1.2
MW-72(SA)	03/05/99	1800	220	99	NA	NA	NA	NA	
ULFZ	05/19/99	1800	230	98	0.15	0.12	NA	NA	
	11/09/99	1200	200	100	0.16	NA	NA	NA	
	05/10/00	3400	170	110	0.691	NA	NA	NA	
	11/29/00	3800	400	140	0.483	NA	NA	NA	1,1,2-TCTFA:30; Chlor:18; 1,2-DCA:3.6; Benz:2.7; 1,1,2-TCA:2.8; PCE:30; ChlBenz:1.8; 1,1,1,2-PCA:2.2
PZ-8 (Dup.)	11/29/00	3900	430	140	0.477	NA	NA	NA	1,1,2-TCTFA:29; 1,1-DCA:3.8; Chlor:19; Benz:2.8; 1,1,2-TCA:3.0; PCE:30; ChlBenz:1.8; 1,1,1,2-PCA:2.3
MW-73(A)	03/05/99	4000	520	240	NA	NA	NA	NA	
ULFZ	05/19/99	4400	780	220	0.1	0.04	NA	NA	
	11/09/99	4100	770	190	0.1	NA	NA	NA	
	11/29/00	3900	690	120	0.0468	NA	NA	NA	1,1,2-TCTFA:32; 1,1-DCA:16; Chlor:10; Benz:3.0; 1,1,2-TCA:5.2; PCE:14; ChlBenz:1.1

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered		Filtered		Additional Compounds
					Cr Total mg/L	Cr +6 mg/L	Cr Total mg/L	Cr +6 mg/L	
PZ-9 (Dup.)	11/29/00	4000	720	120	0.0631	NA	NA	NA	1,1,2-TCTFA:29; 1,1-DCA:16; Chlor:10; Benz:3.0; 1,1,2-TCA:5.3; PCE:14; ChlBenz:1.1

NA or blanks indicate that the parameter was not analyzed. EPA = Environmental Protection Agency

NSR = No sampling requirement

A = Annual sampling

SA = Semi-annual sampling

Q = Quarterly sampling

SP = Special sampling

UFZ = Upper flow zone

NMED = New Mexico Environment Department

ULFZ = Upper lower flow zone

LLFZ = Lower lower flow zone

3rd FZ = 3rd flow zone

DFZ = Deep flow zone

TCE = Trichloroethene

1,1-DCE = 1,1-Dichloroethene

1,1,1-TCA = 1,1,1-Trichloroethane

Cr = Chromium

1,1,2-TCTFA = 1,1,2-Trichlorotrifluoroethane

MeCl = Methylene Chloride

1,1-DCA = 1,1-Dichloroethane

PCE = Tetrachloroethene

Benz = Benzene

Chloro = Chloroform

1,1,2-PCA = 1,1,2-Tetrachloroethane

1,1,2-TCA = 1,1,2-Trichloroethane

m&p Xyl = m&p Xylenes

o-Xyl = o-Xylene

ChlBenz = Chlorobenzene

HXCLB = Hexachlorobutadiene