



Department of Energy
Carlsbad Field Office
P. O. Box 3090
Carlsbad, New Mexico 88221
June 29, 2010



Mr. James Bearzi, Chief
Hazardous Waste Bureau
New Mexico Environment Department
2905 E. Rodeo Park Drive, Building 1
Santa Fe, NM 87505-6110


Subject: Carlsbad Field Office Procedure Change Report for May 2010 .

Dear Mr. Bearzi:

This letter is to transmit the Carlsbad Field Office (CBFO) Plan and Procedure Change Report. The report lists document changes that affect performance criteria or data quality that were approved by CBFO during the period of May 1, 2010 to May 31, 2010. It is transmitted pursuant to the requirements contained in the WIPP Hazardous Waste Facility Permit, Section B3-15, *Changes to WAP-Related Plans or Procedures*, and Section B5-2, *Document Review, Approval and Control*.

If you have any questions or concerns, please contact me at (575) 234-7548.

Sincerely,



Donald C. Gadbury, Director
Office of the National TRU Program

Enclosure

cc: w/enclosure
J. Kieling, NMED * ED
S. Zappe, NMED ED
CBFO M&RC
*ED denotes electronic distribution



Data Quality Affecting Procedures and Documents - May 2010

AMWTP

Letter #	Approval Date	Document Title
10-0856	5/27/2010	MP-TRUW-8.2, Revision 13, Quality Assurance Project Plan (Revised to implement the Class 2 Permit Modification)

CCP

Letter #	Approval Date	Document Title
10-0827	5/10/2010	CCP-AK-ANLE-501 Revision 2, CCP RH Transuranic Radiological Characterization Technical Report For RH Transuranic Debris Waste From Argonne National Laboratory-East (Revised per WCPIP, Section 4.2)
10-0850	5/20/2010	CCP-AK-INL-522, Revision 1, CCP RH TRU Waste Certification Plan for 40 CFR Part 194 Compliance and Confirmation Test Plan for INL RH Waste Stream: ID-RTC-S3000 (Revised per WCPIP, Section 4)
10-0829	5/10/2010	CCP-AK-INL-561, Revision 1, CCP RH TRU Radiological Characterization Technical Report for RH TRU Debris Waste from Idaho National Laboratory Naval Reactors Facility Waste Stream: IN-ID-NRF-153 (Revised per WCPIP, Section 4.2)
10-0846	5/27/2010	CCP-AK-INL-582, Revision 1, CCP RH TRU Waste Certification Plan for 40 CFR Part 194 Compliance and Confirmation Test Plan for INL RH Waste Stream: ID-HFEF-S5400-RH (Revised per WCPIP, Section 4)
10-0839	5/19/2010	CCP-QP-002, Revision 28, CCP Training and Qualification Plan (Revised to implement the "training drum")
10-0855	5/27/2010	CCP-TP-002, Revision 22, CCP Reconciliation of DQOs and Reporting Characterization Data (Revised to implement the Class 2 Permit Modification)
10-0833	5/12/2010	CCP-TP-028, Revision 4, CCP Radiographic Test and Training Drum Construction (Revised based on implementing new method (training drum) which could affect the QAO's from the WAP and WAC)
10-0843	5/18/2010	CCP-TP-033, Revision 17, CCP Shipping of CH TRU Waste (New criteria added RQ or HRCQ flags from BOL or UHWM)
10-0837	5/13/2010	CCP-TP-504, Revision 10, CCP Dose-to-Curie Survey Procedure for Remote-Handled Transuranic Waste (Revised per WCPIP, Section 4.2)
10/0820	5/4/2010	CCP-TP-512, Revision 3, CCP Remote-Handled Waste Sampling (Revised to add logbook entry per QAPjP)